

AUTOMOTIVE CATALOGUE

Ver. 3.0







Disclaimer

We strive to ensure the accuracy of the product description in this catalogue at the time of printing. However, the products may be subjected to change to meet market demands. Product images/Article numbers may slightly vary with the actual product.

For more information on our range of products, please visit www.wuerth.in

WÜRTH INSIGHT



WÜRTH Headquarters – Künzelsau, Germany

- **More than 1,00,000 product line**
- **Total employees: > 79,000**
- **Over 3.9 million customers worldwide**
- **2020 sales: EUR 14.4 billion**
- **Standard & Poor's rating: A Stable**
- **Over 400 companies in more than 80 countries**



We make connections worldwide

WUERTH INDIA

Central Support Centre – Mumbai

Regional Support Centre – Chennai | Delhi | Kolkata

Over 852 employees working in across 35 locations to serve the customers



Our product range includes products for Automotive Technology/Service Maintenance, Chemicals, Paints, Engine Oils, Adhesives/Abrasives, Cutting Devices, Fasteners, Furniture and Construction Fittings, Dowel Technology, Industrial Safety and much more.

Business Areas



AUTO

- Auto Repair Shops
- Car Dealers
- Body Shops
- Motorcycle Repair Shops
- Smash Repair Shops
- Auto Electricians



CARGO

- OEM Dealers
- Authorized Workshops
- Multi-brand Workshops
- Forwarding Companies
- Transport Operators
- Body Building Units



METAL

- Metalworking Industry
- Fabrication Industry
- Maintenance, Repair & Operations
- Furniture Manufacturers
- Electrical Installations
- Turnery/Milling Shop



CONSTRUCTION

- Construction Companies
- Roofers
- Door & Window Frame Installation
- Furniture Manufacturers
- Interior Decorators & Painters
- Facade Builders



PAINTS

- Body Shops
- OEM Dealers
- Multi Brand Workshops
- Body Building Units
- Industries

MAINTENANCE



HHS 2000 500 ml

Art. No.	Contents
0893106	500 ml
08931061	150 ml

- Partly synthetic oil that is extremely resistant to high pressures.
- Creeping properties.
- Highly adhesive.
- Good material compatibility.



HHS DRY LUBE 400 ml

Art. No. 08931066

- Shear-proof dry synthetic wax with PTFE.
- Dry synthetic wax.
- Outstanding creeping property and good penetration of gaps.



SYNTHETIC ADHESIVE LUBRICANT 500 ml

Art. No. 089310652

- Highly adhesive, pressure resistant synthetic anti-corrosive composite.
- Provides long lasting protection against corrosion.
- Application: Hinges, bolts, lock, joints, pinions, bowden cables, sliding rails, rollers, drive chairs, etc.



MULTI-PURPOSE GREASE II 400 g

Art. No. 08938711

- Lithium-soap graphite grease.
- Resistant to high pressure due to EP additives.
- Excellent emergency running properties.
- Good sealing action and protection against corrosion.



LUBRICATING GREASE WGF 130 1 kg

Art. No. 0893530

- High-performance lubricating grease.
- Lithium-soap grease with molybdenum sulphide (MoS₂).
- Temperature resistant from -30°C to +130°C, briefly up to +150°C.



SILICONE SPRAY GREASE 500 ml

Art. No. 0893223

- Extremely lubricating and insulating silicone grease.
- Very high electric resistance (= 14.7 kV/mm).
- Excellent insulating effect.
- Excellent water displacement.



RUST OFF

Art. No.	Contents
0890200011	300 g
0890200010	100 ml
0890200050	50 ml

- High quality rust releaser.
- High capillary activity.
- Optimum corrosion protection.
- Excellent water displacement.



RUST OFF ICE 400 ml

Art. No. 0893241

- High-quality rust remover with cracking effect due to extreme cooling.
- Compatible with rubber and seals.
- Excellent creeping effect.



METAL RESTORER 400 g

Art. No. 08931211

- For removing the most stubborn of dirt on metal.
- Natural aluminium oxide is used as an abrasive substance.
- Productive additives with re-moisturising properties and highly viscous.



BMF CLEANER 5 L

Art. No. 0893118825

Environmental friendly cleaning agent for workshops, machinery and vehicles.



SEALANT REMOVER 300 ml

Art. No. 08931000

- Removes sealing materials, adhesives, paints, etc. in just minutes.
- Stable.



DIESEL PARTICULATE FILTER CLEANER 400 ml

Art. No. 5861014500

- Cleaner for removing carbon and ash deposits from diesel particulate filters
- Cuts costs, as a new particulate filter does not need to be fitted (depends on the condition of the particulate filter)

MAINTENANCE



LIQUID METAL FE1

Art. No. 0893449

- Fast-acting repair system, ideal for installers and workshops in the metal processing sector.
- High-quality two-component reaction resin system.
- After hardening, can easily be processed.

SEALING & GASKETING



SILICONE SPECIAL 180 70 ml

Art. No.	Colour
0890320	Transparent
0890322	Blue

- Permanently elastic silicone sealing compounds for engine and bodywork.
- Cold-vulcanising silicone rubber.
- Excellent adhesion.



SILICONE SPECIAL 250 70 ml

Art. No.	Colour
0890321	Red
0890323	Black

- Permanently elastic silicone sealing compounds for engine and bodywork.
- Cold-vulcanising silicone rubber.
- Temperature resistance up to 300°C.



EXHAUST ASSEMBLY PASTE 140 g

Art. No. 0890100045

Soft compound for quick, easy and completely gas-tight assembly of sleeve (pipe plug) and flange connectors in exhaust systems.



EXHAUST PUTTY 200 g

Art. No. 0890100046

- Small holes and cracks in the silencer system can be easily and permanently repaired so that they are gas-tight.
- Extremely heat-resistant.
- No need to remove the silencer or carry out welding work.

ENGINE



CARBURETOR & INJECTOR CLEANER

Art. No.	Contents
0893105525	500 ml
0893101150	100 ml

- Special, highly active system cleaner for 2- and 4-stroke engines.
- Cleaning without removal.
- Hard-to-reach areas can be easily accessed.



V-BELT SPRAY 400 ml

Art. No. 0893230

- For extending the service life of V-belts.
- Prevents slipping, transfers full drive output.
- Eliminates squeaking.

MAINTENANCE

BRAKE MAINTENANCE



BRAKE CLEANER

Art. No.	Contents
0890101000	100 ml
0890108700	700 ml

- For cleaning and degreasing during maintenance and repair work.
- Fast and effective removal of soot, grease, brake dust and oily residues.
- Application area: For quickly removing oily/greasy residues, soot, brake dust on vehicles, disc and drum brakes, engine and gearbox housings etc.



BRAKE FLUID DOT 3 & 4

DOT 3

Art. No.	Contents
0892008182	250 ml
0892008181	500 ml

DOT 4

Art. No.	Contents
0892008191	250 ml
0892008190	500 ml

- Brake Fluid for disc and drum brake systems.
- Outstanding corrosion protection for iron and base metals.



BRAKE FLUID TESTER - DOT 3/DOT 4/DOT 5.1

Art. No. 071553220

- To test water content in all polyglycol-based brake fluids (DOT3/DOT4 and DOT5.1) easily, quickly and precisely.
- Handy testing tool with retaining clip.
- One push button for quick test and switching.
- Compact and light construction.
- Resistant to acids, bases, impacts and breakage. Long service life.



CU 800 - SPRAY 300 ml

Art. No. 0893800

- Highly adhesive lubricant, separating and anti-corrosive copper paste.
- Extremely resistant to high temperatures and high pressures.



CU 800 - PASTE 100 g

Art. No.	Contents
08938001	100 g
08938002	1 kg



WIPER BLADE



WINDSCREEN WIPER BLADE

Art. No. 0848370...

- Natural rubber wiping lip with special graphite compound coating.
- Extremely smooth-running.
- UV and ozone-resistant.
- High operating temperature range.
- Resistant to the effects of weathering (72hrs. in salt spray test according to DIN EN ISO 9227).



Description	Art. No.
Vehicle Windshield Wiper L380MM/15"	0848 370 380
Vehicle Windshield Wiper L400MM/16"	0848 370 400
Vehicle Windshield Wiper L425MM/17"	0848 370 425
Vehicle Windshield Wiper L450MM/18"	0848 370 450
Vehicle Windshield Wiper L475MM/19"	0848 370 475
Vehicle Windshield Wiper L500MM/20"	0848 370 500
Vehicle Windshield Wiper L525MM/21"	0848 370 525
Vehicle Windshield Wiper L550MM/22"	0848 370 550
Vehicle Windshield Wiper L600MM/24"	0848 370 600
Vehicle Windshield Wiper L650MM/26"	0848 370 650
Vehicle Windshield Wiper L700MM/28"	0848 370 700

MAINTENANCE

ELECTRICAL



BATTERY TERMINAL PROTECTOR 150 ml

Art. No. 0890104

- Long-term and temperature-resistant protection for battery terminals.
- Protects battery terminals, pole terminals and plug connections from corrosion, weather and battery acids.
- Prevents transfer resistances and voltage drops, thereby extending the battery life.



POLE TERMINAL BRUSH

Art. No. 0695589544

- Combined cleaning brush for car batteries.



DIGITAL CIRCUIT TESTER

Art. No. 07155310

- Quickly and safely test high and low voltages on V/DC vehicle voltages
- Checks on 6, 12, 24 and 48V/DC systems
- LED light indicators:
Red = Positive
Green = Negative
- Stainless steel
- Connected by an electrical spring cable which is able to extend to 3m
- Digital display making it accurate and easy to read



ELECTRICAL CONTACT SPRAY 500 ml

Art. No. 0893600500

- Moisture free.
- Cleans electrical contacts instantly.



CABLE TIES

Art. No. 0502...

For quick, problem-free and reliable bundling of cables, cable harnesses, hoses, etc.

Width mm	Length mm	Bundling Ø mm	Art. No. neutral	Art. No. black
2.5	100	1.6 - 20	0502 11	0502 111*
3.6	140	1.6 - 30	0502 12	0502 121*
3.5	200	1.6 - 40	0502 13	0502 131
3.6	280	1.6 - 75	0502 135	0502 135 1
4.8	178	1.6 - 40	0502 14	0502 141*
4.8	280	1.6 - 75	0502 15	0502 151*
4.8	360	1.6 - 100	0502 16	0502 161*
7.8	180	1.6 - 40	0502 17	0502 171
7.8	360	1.6 - 100	0502 18	0502 181
7.8	540	25 - 150	0502 19	0502 190 1
7.8	750	40 - 220	0502 181 31	0502 181 3
12.5	720	48 - 220	0502 201	0502 201 1
12.5	1000	48 - 300	0502 202	0502 202 2

Width	Length	NDI Article Natural	NDI Article Black
2.5mm	100mm	NDI0000261990 1	NDI0000296990 1
3.6mm	300mm	NDI0000291990 1	-
3.6mm	150mm	NDI0000293990 1	NDI0000258990 1
3.6mm	200mm	NDI0000260990 1	NDI0000295990 1
4.8mm	200mm	NDI0000307990 1	NDI0000297990 1
4.8mm	364mm	NDI0000478990 1	NDI0000256990 1
4.8mm	300mm	NDI0000477990 1	NDI0000294990 1
7.6mm	364mm	NDI0000255990 1	NDI0000298990 1
7.6mm	200mm	NDI0000277990 1	NDI0000263990 1
7.6mm	530mm	NDI0000309990 1	NDI0000299990 1
7.6mm	450mm	-	NDI0000475990 1


MAINTENANCE

ELECTRICAL



FLAT BLADE FUSE MINI ECONOMIC

Art. No.		Amp
520830005	Brown	5 A
520830010	Red	10 A
520830010	Red	10 A
520830015	Turkis	15 A
520830020	Yellow	20 A
520830025	White	25 A
520830030	Green	30 A



FLAT BLADE FUSE ATO ECONOMIC

Art. No.		Amp
5208005	Brown	5 A
5208010	Red	10 A
5208015	Blue	15 A
5208020	Yellow	20 A
5208025	Tranparent	25 A
5208030	Green	30 A
5208035	Lilac	35 A
5208040	Orange	40 A



FLP FUSE

Silver-plated version for improved heat removal.

Max. amperage	Color	Max. nominal voltage	Min./max. operating temperature	Surface of contacts	Art. No.
2 A	Gray	58 V/DC	-40 - 125 °C	Silver-plated	0731 302 02
3 A	Purple	58 V/DC	-40 - 125 °C	Tin-plated	0731 302 03
4 A	Pink	58 V/DC	-40 - 125 °C	Tin-plated	0731 302 04
5 A	Brown	58 V/DC	-40 - 125 °C	Silver-plated	0731 302 05
7.5 A	Ocher brown	58 V/DC	-40 - 125 °C	Silver-plated	0731 302 07
10 A	Red	58 V/DC	-40 - 125 °C	Silver-plated	0731 302 10
15 A	Turquoise	58 V/DC	-40 - 125 °C	Silver-plated	0731 302 15
20 A	Yellow	58 V/DC	-40 - 125 °C	Silver-plated	0731 302 20
25 A	White	58 V/DC	-40 - 125 °C	Silver-plated	0731 302 25
30 A	Green	58 V/DC	-40 - 125 °C	Silver-plated	0731 302 30

Suitable for ORSY storage



HEAT-SHRINK HOSE, THIN-WALLED SET, 130 pcs

Art. No. 09647710


Art. No.		P. Qty
0771 002 40	2.4/1.2	20
0771 003 20	3.2/1.6	20
0771 004 80	4.8/2.4	20
0771 006 40	6.4/3.2	20
0771 009 50	9.5/4.8	20
0771 012 70	12.7/6.4	10
0771 019 00	19.0/9.5	10
0771 025 40	25.4/12.7	10



MINI DIGITAL MULTIMETER

Art. No. 071553 370

Small meter for measuring direct and alternating current, resistance testing, continuity testing, diode testing and for contactless voltage testing.



CRIMPING PLIERS Q 60 PLUS

Art. No. 055810

Crimping of insulated and uninsulated cable connectors 0.5-6.0 mm².

MAINTENANCE

ELECTRICAL



HEAT-SHRINK CRIMP BUTT CONNECTOR

Art. No.	0555 510 0	0555 510 1	0555 510 2	0555 510 4
P. Qty.	50 / 100	50 / 100 / 300	50 / 100 / 300	50 / 100
Min./max. wire cross section	0.2-0.5 mm ²	0.5-1.5 mm ²	1.5-2.5 mm ²	4-6 mm ²
Colour	Transparent	Red	Blue	Yellow
Dielectric strength	30 kV/mm	30 kV/mm	30 kV/mm	30 kV/mm
IP protection class	IP 67	IP 67	IP 67	IP 67
Min./max. temperature conditions	-55 to 125 °C	-55 to 125 °C	-55 to 125 °C	-55 to 125 °C
Min. shrinkage temperature	300 °C	300 °C	300 °C	300 °C
Length	30 mm	35 mm	35 mm	40 mm



HEAT-SHRINK SOLDER CONNECTOR HIGH-END BUTT CONNECTOR

Dielectric strength	36 kV/mm
IP protection class	IP 67
Min./max. temperature conditions	-55 to 110 °C
Min. shrinkage temperature	500 °C

Art. No.	0555 810 0	0555 810 1	0555 810 2	0555 810 4
P. Qty.	50 / 100	50 / 100	50 / 100	25 / 50
Min./max. wire cross section	0.35-0.75 mm ²	0.5-1.5 mm ²	1.5-2.5 mm ²	4-6 mm ²
Colour	White	Red	Blue	Yellow
Length	27.5 mm	40.8 mm	40.8 mm	40.8 mm



HEAT-SHRINK SOLDER BUTT CONNECTOR

Dielectric strength	2 kV/mm
IP protection class	IP 67
Min./max. temperature conditions	-55 to 125 °C
Min. shrinkage temperature	500 °C

Art. No.	0555 923 0	0555 923 1	0555 923 2	0555 923 3
P. Qty.	25 / 100	25 / 100	25 / 100	25 / 50
Max. bundle diameter (Bündel-Ø max.)	1.7 mm	2.7 mm	4.5 mm	6 mm
Colour	White	Red	Blue	Yellow
Length	26 mm	42 mm	42 mm	42 mm



ELECTRICAL INSULATING TAPES - SET OF 10

Art. No. 0985100

- Safe insulation and labeling during electrical installation.
- VDE-tested in accordance with DIN EN 60454-3-1 Type 5

TYRE SHOP



LEAD WEIGHTS - ALLOY RIMS

Art. No. 0830000205



LEAD WEIGHTS - STEEL RIMS

Art. No. 083010005



BLANCE WEIGHT FOR CAR STEEL RIMS STEEL KNOCK-ON

Art. No. 083010005

Art. No.	Weight	Material
0830000205	5g	Lead
0830000210	10g	Lead
0830000215	15g	Lead
0830000220	20g	Lead
0830000225	25g	Lead
0830000230	30g	Lead
0830000235	35g	Lead
0830000240	40g	Lead
0830000245	45g	Lead
0830000250	50g	Lead
0830000255	55g	Lead
0830000260	60g	Lead

Art. No.	Weight	Material
083010005	5g	Lead
083010110	10g	Lead
083010115	15g	Lead
083010120	20g	Lead
083010125	25g	Lead
083010130	30g	Lead
083010135	35g	Lead
083010140	40g	Lead
083010145	45g	Lead
083010150	50g	Lead
083010155	55g	Lead
083010160	60g	Lead

Art. No.	Weight	Material
083051 10	10g	Steel
083051 15	15g	Steel
083051 20	20g	Steel
083051 25	25g	Steel
083051 30	30g	Steel
083051 35	35g	Steel
083051 40	40g	Steel
083051 45	45g	Steel
083051 50	50g	Steel
083051 55	55g	Steel
083051 60	60g	Steel

MAINTENANCE

TYRE SHOP



ZINC ADHESIVE WEIGHT FOR CAR ALUMINIUM RIMS

Art. No. 083014 700

Weight (g): 45 (3 x 5 + 3 x 10)

Dimensions in mm
incl. adhesive tape: 105 x 15 x 5.5



ZINC ADHESIVE WEIGHT FOR CAR ALUMINIUM RIMS

Art. No. 083014 750

Weight (g): 45 (3 x 5 + 3 x 10)

Dimensions in mm
incl. adhesive tape: 130 x 19 x 3.8



STEEL ADHESIVE WEIGHT FOR CAR ALUMINIUM RIMS 4 x 5 g, 4 x 10 g - 60 g

Art. No. 083014 413



TYRE FOAM 310 ml

Art. No. 0890121525

- Cleans, maintains and protects.
- Prevents cracking and protects from embrittlement.
- UV-protection and prevents from premature fading, improves appearance.
- Anti-static solvent free, does not attack rubber, aluminium / steel rims or painted surface.



TYRE MOUNTING PASTE 5 kg

Art. No. 08901221

- For mounting car, truck and motorcycle tyres.
- Good sliding properties.
- Powerful bonding between tyres and rim is established only a short time after assembly.
- Keeps the rubber soft, thereby ensuring permanent sealing between the rim and tyre bead.
- Can be used for the latest tyre generations.



TYRE SHINE

Art. No.	Contents
089012505	5 L
089012035	30 L



BRUSH FOR TYRE MOUNTING PASTE 28 cm

Art. No. 06930800

VEHICLE CARE

CLEAN & SHINE



AUTO SHAMPOO

Art. No.	Contents
0893022002	1 L
0893022003	5 L

- Environmental friendly auto shampoo for vehicle washing.
- Removes soiling on vehicles without impacting the environment and protects paint from a number of influences like weather effects, salt, corrosion & sunlight.
- Reduces hazard potential in day-to-day use.



ACTIVE GLASS CLEANER 500 ml

Art. No. 089025

- Cleaning foam for glass and smooth surfaces.
- Extremely high degree of cleaning.
- Paints, rubber and plastics are not attacked.



MULTIPURPOSE VINYL CARE

Art. No.	Contents
0893477121	1 L
0893477125	5 L

- Excellent non flammable, solvent free product to provide surface gloss & depth in colour on car tyres & polymer dashboards / door panels . Also used in polymer blow moulding industry.
- Very versatile product used as a rubber & vinyl polish.



INTERIOR CLEANER

Art. No.	Contents
0893033	500 ml
0893033150	150 ml

- Special cleaning foam with anti-static additive for the entire vehicle interior.
- Cleans nicotine, dirt and dust from all painted and plastic parts, glass surfaces and upholstery.
- Anti-static additive offers temporary dust protection on the surface.



LIQUID CLEAN 500 ml

Art. No. NDI0000101

Powerful multi-purpose cleaner with good grease and resin dissolving property.



PLASTIC & RUBBER CARE 500 ml

Art. No. 0893221525

Protects, maintains surface of plastic and rubber components.



GLASS CLEANER 500 ml

Art. No. NDI000103

Powerful cleaner with anti-static effect for cleaning windows.



RAPID WINDSCREEN WASH 32 ml

Art. No. 0892333032

- Highly-concentrated windscreen cleaner 1:100
- Prevents smear formation.
- Eliminates glare and lubricant films.
- Ensures a crystal clear view.
- Removes adherent insects and other soiling.
- Very good material compatibility.

VEHICLE CARE

CLEAN & SHINE



CLEAN & SHINE (Dry Wash) 250 ml

Art. No. 0893474220

Clean & Shine is a biodegradable, eco-friendly product which cleans dirt and dust from surface and gives optimum gloss finish without using water.



CERAMIC COATING 50 ml

Art. No. 5997600792

- Wuerth Nano paint protection system with 9H hardness ensures protection against harmful effects like acid rains, bird droppings, scratches, Tree resin, UV radiation and Automatic Car Wash Bristles
- Coated surface become highly hydrophobic
- Long term deep glossy surface and visual improvement of the vehicle



SILICONE SPRAY 500 ml

Art. No. 0893221

- Long-lasting protection, preservation and insulation of vehicle exterior and interior plastic, rubber and metal parts; good lubricating properties.
- Plastic parts retain a high-gloss finish and do not become brittle.
- Rubber parts are protected, do not become brittle and do not freeze or stick.



GLOSS SEAL 250 ml

Art. No. 08930126

- Provides lasting, reliable protection with extremely simple application.
- Resistant to weathering, salt, sunlight, cold cleaner and other influences that generally affect paint.
- It is non-aggressive and therefore gentle on paints.
- Achieves an extremely smooth paint surface.



ENGINE WASH 5 L

Art. No. 089301305

- Powerful engine cleaner for engines, engine compartments and gearboxes.
- Good cleaning performance.
- Quickly and thoroughly removes oil, grease and other dirt.



INDUSTRY CLEANER 500 ml

Art. No. 0893140

For removing adhesive tape residue, labels and film stickers as well as stubborn dirt.



INTENSIVE WHEEL RIM CLEANER 1 L

Art. No. 0893476

- For all painted and unpainted light metal wheel rims and steel wheel rims.
- Effectively loosens even the most stubborn contamination, e.g. brake lining abrasion, bloom, tar, oil and road dirt.
- Acid-free.



TAR REMOVER

Art. No.	Contents
089026	300 ml
089026005	5 L

- Effortlessly removes tar, oil, and splashes of underbody seal and cavity sealant from paint and chrome.
- Good solvent power.
- Removes stubborn dirt.
- Easy to rinse off.

VEHICLE CARE

CLEAN & SHINE



FOAM GUN SP1

Art. No. 0891703128

- For intensive foam cleaning of surfaces and parts.
- Great cleaning power.
- Loosens stubborn dirt reliably and quickly.



PUMP SPRAY BOTTLE 1000 ml

Art. No. 0891503001

- For simple processing of products from canisters and drums
- Safe manual tapping from portable vessels
- Ergonomic, robust spray atomiser with long handle



PUMP SPRAY BOTTLE PERFECT FOAM 1500 ml

Art. No. 0891503021

The Pump Spray Bottle transforms a cleaning agent into a effective foam which effectively dissolves and easily removes dirt & tough road grime.



HEADLIGHT REFURBISHMENT SET 25 PCS

Art. No. 5964089316

- Professional 2-stage system for refurbishment of heavily weathered vehicle headlights.
- Enables refurbishment of virtually all vehicle headlights..
- Gives new brilliancy.
- Minimises the risk of accidents.

Contents for Art. No. 5964 089 316		
Designation	Art. No.	Quantity
Sanding disc Useit Superpad, vehicles Grid size 240	0581 301 240	5
Sanding disc Useit Superpad, vehicles Grid size 320	0581 301 320	5
Sanding disc Useit Superpad, vehicles Grid size 400	0581 301 400	5
Polishing pads	0585 026 090	3
Lambskin, white	0585 23 80	2
Hook and loop support plate	0586 01 80	1
Foam Soft Interface	0586 02 81	1
Holder, cleaning brush, others	0586 02 90	1
Grinding disc	0586 200 2	1
Hook and loop fastener Support Plate M6	0586 585 075	1
Finishing disc Useit® Superpad SG Grinding pattern 500	0587 401 050	2
Finishing disc Useit® Superpad SG Grinding pattern 1000	0587 401 100	3
Finishing disc Useit® Superpad SG Grinding pattern 2000	0587 401 200	3
Finishing disc Useit® Superpad SG Grinding pattern 4000	0587 401 400	3
Plug-in nipple S2000 MT	0699 100 614	1
Pneumatic mini orbital sander DME 75	0703 236 0	1
Fast grinding polish P80 PC	0893 250 080	1
High-gloss polish P90 PC	0893 250 090	1
Microactive cloth Duo	0899 900 138	1
Precision crepe tape	0992 000 338	1
System insert foam 8.4.3 Number of compartments 17 PCS		1
System insert foam 8.4.3 Number of compartments 4 PCS		1

VEHICLE CARE

PROTECTION



VEHICLE INTERIOR PROTECTION SET
5 pcs

Art. No. 0899500004



VEHICLE INTERIOR PROTECTION SET
5 in 1 - 200 pcs

Art. No. 0899500051



PREMIUM SEAT COVER SET

Art. No. NDI0000327990 1

WINDOW FILMS



WINDOW FILM AUTOMOTIVE

Art. No. 0992920...

- UV-blocking window film for cars.
- Unique UV protection: Delays fading of objects and decorations.
- Reducing the load on the air conditioning, energy saving.
- Long life and optimum cleaning.
- Glare reduction.
- Skin protection.

Wuerth PX-75

Art. No. 09929208

Visible Light Transmission: 59.8 %
Solar Rejection: 35.6 %
UV Rejection: 99 %

Wuerth PX-50

Art. No. 09929207

Visible Light Transmission: 54.4 %
Solar Rejection: 35.6 %
UV Rejection: 99 %

VEHICLE CARE

UNDER CHASSIS



UNDERSEAL - BLACK 1000 ml

Art. No. 0892072

- Bitumen-based coating mass, cannot be painted over, contains solvents.
- With long-term protection and anti-drone effect.
- Long-term protection and anti-humming effect.
- Resistant to spray and salt water, weak acids and bases.
- Quick drying.



GRAVEL THROW AND UNDERBODY PROTECTION

Art. No.	Content	Colour
0892075250	500 ml	Black
0892075350	500 ml	Grey
0892075300	1000 ml	Grey

- Rubber-based coating compound containing solvents, can be painted.
- Excellent adhesion, rapid skin formation.
- Scratch-proof.
- Excellent stone chip protection.



STONE CHIP PROTECTION AQUA

Art. No.	Content	Colour
0892070100	1000 ml	Black
0892070200	1000 ml	Grey

- Climate-optimized, paintable, water-based stone chip protection.
- Dries completely down to -10°C.
- Fine and coarse structures can be sprayed depending on the applications.
- Excellent anti-humming effect.
- Very high abrasion resistance.



UNDERBODY SEAL - BLACK 10 L

Art. No. 5997633518



SPRAY GUN - UNDERBODY COATING

Art. No. 08911063

- For applying stone chip and underseal products containing solvents.
- Application pressure: 3-4 bar



CAVITY WAX

Art. No.	Content
0892082500	500 ml
0892082	1 L

- For repairs and long-lasting protection.
- High creep capability and very good penetration.
- Penetrates and displaces moisture.
- High thermal resistance and good cold temperature flexibility.



SPRAY GUN - CAVITY WAX

Art. No. 0891130

- For applying cavity sealing products.
- Quick-release coupling.
- Robust, compact design.



PROTECTIVE WAX 400 ml

Art. No. 0893082400

- Highly transparent wax anti-corrosive agent that displaces water
- 360° valve
- Has self-healing properties
- Adhesive
- Water-repellent



RODENT PROTECTION

Art. No. 0892077150

- Wuerth Rodent Protection leaves a sticky transparent film on the treated surface which protects the treated surface from menace of rodents
- Used at Cables, wires, rubber parts, hoses, plastic parts in the engine compartment & wheel arch area.

AC MAINTENANCE



AIR CONDITIONER SYSTEM CLEANER A/C 300 ml

Art. No. 0893764310

- Special cleaner to clean and disinfect vehicle air conditioning systems.
- Disinfects, cleans and protects.
- Reliably eliminates germs, bacteria and fungi.
- Removes unpleasant odours.
- Prevents allergic reactions.
- Verified germ reduction after an application time of just 5 minutes.



SPRAY HOSE 80 cm

Art. No. 089176412

- Approx. 80 cm long PE hose with specially developed nozzle.



LEAK DETECTION DYE 7.5 ml

Art. No. 0892764010



LEAK DETECTION DYE 240 ml

Art. No. 0892764034

- For reliable localisation of leaks and micro-leaks in air-conditioning systems.
- Can be used in air-conditioning systems with electric compressors (hybrid, start/stop, electric vehicles).



QUICK FRESH

Art. No.		Contents
0893764155	Neutral	150 ml
0893764158	Aromatic	150 ml

- For effective elimination of odours from vehicle interiors and air-conditioning units in vehicles
- User-friendly
- With long-lasting fresh scent



AIR CONDITIONING EVAPORATOR CLEANER

Description	Art. No.	Contents
Air Conditioning Evaporator Detergent	0893764001	250 ml
Air Conditioning Evaporator Cleaner	0893764002	250 ml
Air Conditioning Evaporator Purify Spray	0893764003	250 ml



ENDOSCOPE SPRAY GUN WITH SD RECORD

Art. No. 0891764011



COOLIUS 1200i

Art. No. 0900764991

- AC Service for cars, transporters & lorries.



COOLIUS A50

Art. No. W050101000



COOLIUS Y50A

Art. No. W050115020



UV LEAK DETECTION LAMP 12 V DC/100 W

Art. No. 0964764009

- For the detection of even the most minor leakages in refrigerant, water cooling, engine oil (diesel and gasoline), transmission oil and power-assisted steering systems.
- Supplied in a robust plastic case.
- With protective and effect enhancing glasses.

OIL/COOLANT/ADDITIVE

ENGINE OIL



API SM

ENGINE OIL 0W 40 FULLY SYNTHETIC

Art. No.	Contents
0897104401	1 L
0897104402	4 L
0897104405	210 L



API SG

ENGINE OIL 20W 50

Art. No.	Contents
5869120501	1 L
5869120507	3 L
5869120504	55 L
5869120505	210 L



API SM

ENGINE OIL 5W 40 SYNTHETIC

Art. No.	Contents
0897102401	1 L
0897102404	3.5 L
0897102406	4 L
0897102409	55 L
0897102405	210 L

- High Technology Synthetic Engine Oil.
- Top of the line engine oil for new generation passenger vehicles.



CH4, CF4, CI4

ENGINE OIL 15W 40

Art. No.	Contents
5869115411	1 L
5869115403	4 L
5869115412	5 L
5869115407	7.5 L
5869115408	15 L
5869115414	55 L
5869115415	210 L



API SM

ENGINE OIL 5W 30 SYNTHETIC

Art. No.	Contents
0897105508	3.5 L
0897105503	55 L
0897105505	210 L

- Ultra premium synthetic engine oil for new generation petrol & diesel engine.
- Exceptional high temperature performance.
- Outstanding engine cleanliness.



API SM

ENGINE OIL 10W 40

Art. No.	Contents
0897110411	1 L
0897110413	3 L
0897110412	4 L
0897110408	55 L
0897110410	210 L



API GL - 4

GEAR OIL 80W 90

Art. No.	Contents
0897180900	500 ml
0897180901	1 L
0897180906	55 L
0897180905	210 L

- Multi-purpose gear oil for all vehicle.
- Reduces running noises and provides outstanding protection against wear.
- Optimum lubrication, even with extremely long oil change intervals.



GEAR OIL 85W 140

Art. No.	Contents
0897185146	55 L
0897185140	210 L

High Performance gear oil for all vehicle.

API GL - 5

OIL/COOLANT/ADDITIVE

ENGINE OIL



API SJ

ENGINE OIL 20W 40

Art. No.	Contents
5869120407	900 ml
5869120401	1 L

HYDRAULIC OIL



HYDRAULIC OIL 68 210 L

Art. No. 0897668021

HYDRAULIC OIL 46 210 L

Art. No. 0897646021

- Excellent anti-wear properties.
- Good oxidation and thermal stability.
- Good water tolerance.
- Excellent hydrolytic stability.
- Extended pump durability.

COOLANT



RADIATOR COOLANT

- Suitable for all types of vehicles.
- Protects engine block from Rust/Corrosion.
- Prevent boiling of cooling water in most severe conditions.

Art. No.	Colour	Contents
0893601601	Green	1 L
0893601602	Blue	1 L
0893601603	Violet	1 L
0893601604	Red	1 L
0893557210	Green	210 L
0893601606	Blue	210 L
5997609498	Red	210 L



RADIATOR COOLANT WATER BASED

Art. No.	Colour	Contents
0892501501	Green	1 L
0892501504	Green	3 L
0892501505	Green	5 L
0892501503	Red	1 L
0892501506	Red	5 L
0892501502	Blue	1 L



RADIATOR FLUSH & CLEANER 250 ml

Art. No. 0893556002

- Cleans the entire cooling system.
- Dissolves & combines residues containing oil & grease.
- Dislodges & removes lime & corrosion deposits.
- Ensures optimum engine cooling and reliability.



ANTI FREEZE COOLANT 1 L

Art. No. 0893556371

OIL/COOLANT/ADDITIVE

ADDITIVE



ENGINE OIL ADDITIVE

Art. No.	Contents
5861300305	50 ml
5861300325	250 ml

- Protects all petrol and diesel engines.
- Extends the service life of the engine.



DIESEL ADDITIVE 250 ml

Art. No. 5861001325

- For lubricating diesel fuel systems in passenger cars and trucks.
- Prevents deposits in combustion chamber and injection system.



PETROL ADDITIVE

Art. No.	Contents
5861101350	50 ml
5861101250	250 ml



ENGINE FLUSH & CLEANER

Art. No.	Contents
0893016250	250 ml
0893016050	50 ml

- Cleaner for all petrol and diesel engines with or without catalyst.
- Cleans and flushes the entire engine oil circuit.



PETROL INJECTION CLEANER 300 ml

Art. No. 5861111303

- Special cleaner for cleaning the injection system
- Protects against corrosion
- Removes resin-like and paint-like deposits in the micro range from injection valves and from the fuel distributor
- Ensures precise controlling of injection valves
- Less fuel is used thanks to precise fuel injection



DIESEL INJECTION CLEANER 300 ml

Art. No. 5861011300

- For cleaning all common passenger car and truck diesel engines
- For cleaning the injection pump and nozzle
- Loosens and removes deposits, even in micro range
- Ensures clean combustion
- Protects the fuel system from corrosion



RADIATOR SEAL 300 ml

Art. No. 5861501300

- Radiator sealant for all engines with cooling systems without filter systems.
- Permanently seals hairline cracks and leaking areas.
- Avoids loss of coolant.
- Does not attack rubber or plastic parts.



OIL LEAK PROTECTOR 300 ml

Art. No. 5861311150

- Eliminates engine oil leaks
- Protects against leakage loss caused by leaking elastomer seals
- Prevents environmental pollution caused by engines leaking oil
- Reduces oil consumption in petrol and diesel engines
- The can contents of 300 ml are sufficient for 5 L of oil

OIL/COOLANT/ADDITIVE

ADDITIVE



PETROL FUEL INJECTION VALVE CLEANER LBW 400 330 ml

Art. No. 089356091

- Optimises engine power
- Reduces fuel consumption
- Improves exhaust emissions



LBW400 FUEL INJECTION VALVE CLEANER - KIT

Art. No. 0702077

Cleaning the intake system of a vehicle's petrol engine ensures that it is running as efficiently and economically as possible.



OIL SMOKE STOP 300 ml

Art. No. 5861301300

- Reduces smoking of petrol and diesel engines
- Reduces oil consumption by stabilising the viscosity and compensates viscosity losses. Helps prevent blue exhaust smoke.
- The can contents of 300 ml are sufficient for 5 L of oil



GEAR ADDITIVE ATF FLUSH 150 ml

Art. No. 5861410150

- For cleaning automatic gearboxes
- Highly active surfactants guarantee that dirt deposits in the automatic gearbox oil circuit are fully dissolved
- Compatible with all oils used in ATF gearboxes



GEAR ADDITIVE AUTOMATIC TRANSMISSION FLUID 150 ml

Art. No. 5861401150

- For protecting automatic gearboxes
- Protects against wear
- Ensures the quality of gearbox shifting
- Stops foam forming in the gearbox and maintains the temperature at optimum operating level
- Improves shifting in cold ambient temperatures



GEAR ADDITIVE, MANUAL TRANSMISSION TREATMENT 125 ml

Art. No. 5861400125

- Permanent protection of all types of manual gearboxes
- High-performance lubricant
- Reduces wear by means of OMC2 technology
- Stabilises viscosity
- Slows down oil deterioration



PETROL ADDITIVE OCTANE BOOSTER 300 ml

Art. No. 5861103300

- For boosting the octane number in lower-grade fuels.
- Prevents wear
- Improves vehicle performance
- Clean combustion
- Improves octane number
- Reduces harmful exhaust gases



DIESEL ADDITIVE CETANE BOOSTER 300 ml

Art. No. 5861005300

- Improves the ignition behaviour of diesel fuels
- Clean combustion
- Lowers fuel consumption
- Boosts the cetane number
- Engine noise is also reduced

OIL/COOLANT/ADDITIVE

EQUIPMENT



OIL EXTRACTION UNIT

Art. No. 07159391

- For mobile operation, complete with 7 suction tubes.
- Vacuum extraction.
- Emptied by pressure pad (0.5 bar).
- Transparent suction head.
- Oil can be drained from multiple vehicles one after the other.



MULTI-PURPOSE ELECTRONIC HAND-HELD LAMP, 8W

Art. No. 0981700

- Multi-purpose hand-held lamps for motor vehicle mechanics and industry.



COOLING SYSTEM TESTER WITH INFLATABLE SEALING BLADDER

Art. No. 085352

- Universal application for pressure testing on radiator systems.
- Inflatable sealing bladder for very high coverage of radiator systems.
- Universal applications for water-cooled engines.
- Circlips for testing on running engines.



VISUAL ANTI-FREEZE BATTERY AND AD BLUE TESTER

Art. No. 0704510

- For reliable testing of coolant anti-freeze, battery acid and AD Blue in one unit.
- Simple test of display accuracy with distilled water.

C - PARTS



HOSE CLAMP

Art. No. 05391...

- Asymmetrical housing.
- Even distribution of force.
- Clamp head does not tilt away during tightening.
- Smooth and indented strap interior with rounded edges.

Art. No.	Strap width	Grip range
053918 16	9 mm	8-16 mm
053911222		12-22 mm
053911627		16-27 mm
053912032		20-32 mm
053912540		25-40 mm
053913250		32-50 mm
053914060		40-60 mm
053915070		50-70 mm
053916080		60-80 mm
053917090		70-90 mm
0539190110		90-110 mm



FUEL HOSE CLAMP POWER

Art. No. 05392...

Art. No.	Strap width	Grip range
053928 12	9 mm	8-12 mm
053921016		10-16 mm



HOSE CLAMP SET, STRAP WIDTH: 9 mm with Screwdriver -121 pcs

Art. No. 05391207

- Asymmetrical housing.
- Even distribution of force.
- Clamp head does not tilt away during tightening.
- Smooth and indented strap interior with rounded edges.



HAND-HELD RIVET PLIERS

Art. No. 094915

- For processing 2.4 mm, 3 mm and 4 mm blind rivets in aluminium, copper, steel and stainless steel and 5 mm blind rivets in aluminium.
- Weight: 590 g.
- Total length: 260 mm.



BLIND RIVETS

Art. No. 093836

- 120° Countersunk head.
- Sleeve: Aluminium.
- Mandrel: Galvanised steel, blue passivated (A2K).

d x l mm	Bore-hole Ø mm	Clamping range mm	d _k mm	k mm	d _m mm	Shear break load N	Tensile break load N	Art. No.	Pack Qty.
2.4 x 4.0	2.	0.5 - 2.0	4.8	0.9	1.5	390	580	0936 24 4	1000
2.4 x 6.0	2.	2.0 - 4.0	4.8	0.9				0936 24 6	1000
2.4 x 8.0	2.	4.0 - 6.0	4.8	0.9				0936 24 8	1000
3.0 x 4.0	3.	0.5 - 1.5	6.4	1.1	1.8	600	960	0936 3 4	500
3.0 x 6.0	3.	1.5 - 3.5	6.4	1.1				0936 3 6	500
3.0 x 8.0	3.	3.5 - 5.5	6.4	1.1				0936 3 8	500
3.0 x 10.0	3.	5.5 - 7.0	6.4	1.1				0936 3 10	500
3.0 x 12.0	3.	7.0 - 9.0	6.4	1.1				0936 3 12	500
3.0 x 16.0	3.	9.0 - 13.0	6.4	1.1				0936 3 16	500
3.0 x 20.0	3.	13.0 - 17.0	6.4	1.1				0936 3 20	500
3.0 x 25.0	3.	17.0 - 22.0	6.4	1.1				0936 3 25	250



HAND TOOLS

RED LINE



SCREWDRIVER SET - 6 PCS.

Art. No. 575194226

	Art.		Art.
0.6x3.5	5751 231 035	PH1	5751 232 1
1.0x5.5	5751 231 055	PH2	5751 232 2
1.2x6.5	5751 231 065		
1.2x8.0	5751 231 08		



SCREWDRIVER SET - 7 PCS.

Art. No. 57519348

Tip size: TX10, TX15, TX20, TX25, TX27, TX30, TX40



WATER PUMP PLIER

Art. No. 572201563



ADJUSTABLE SPANNER

Art. No. 575422110



SIDE CUTTER

Art. No. 577201553



COMBINATION PLIERS

Art. No. 577201556



SNIPE NOSE PLIERS

Art. No. 577201557



COMBINATION SPANNER SET - 17 PCS

Art. No. 575430141



DOUBLE RING SPANNER SET - 12 PCS

Art. No. 575430542



HAND TOOLS

RED LINE



DOUBLE OPEN ENDED SPANNER SET - 12 PCS

Art. No. 575430443



1/4" SOCKET WRENCH ASSORTMENT 34 PCS.

Art. No. 576311341



**1/4" SOCKET WRENCH SET 17 PCS.
HEXAGON**

Art. No. 576311171



**1/2" SOCKET WRENCH SET 23 PCS.
HEXAGON**

Art. No. 576313231

HAND TOOLS



COMBINATION WRENCH ASSORTMENT - SHORT TYPE

Art. No. 07133014...


Art. No.	Width	Contents
071330140	8-22 mm	11 pcs
071330141	6-22 mm	17 pcs
071330142	5.5-34 mm	28 pcs



DOUBLE OPEN-END WRENCH ASSORTMENT

Art. No. 07133044...

Art. No.	WS	Contents
071330440	6-22 mm	8 pcs
071330441	6-27 mm	10 pcs
071330442	6-32 mm	10 pcs
071330443	6-32 mm	12 pcs



COMBINATION WRENCH ASSORTMENT, OFFSET - 9 pcs

Art. No. 071330250



COMBINATION WRENCH ASSORTMENT, INCH - 12 pcs

Art. No. 071330341



COMBINATION WRENCH SET, EXTRA LONG - 12 pcs

Art. No. 071330851



ADJUSTABLE OPEN-END WRENCH

Art. No.	Length
071522108	8 inch
071522110	10 inch

HAND TOOLS



**ALLEN KEY SET WITH BALL HEAD (REDLINE)
1.5 - 10 mm, 9 pcs**

Art. No. 575240100



**ALLEN KEY SET, HEXAGON SOCKET - BALL HEAD
1.5 - 10, 9 pcs**

Art. No. 071540100

- 9 pieces. Ball head, extra-long version, in plastic holder with sliding function.
- Contents: 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10.



**ALLEN KEY SLIDING SET
TX 9-40, 8 pcs**

Art. No. 071536100



**ALLEN KEY SET WITH BALL HEAD
TX 9-40, 8 pcs**

Art. No. 071537100



**ALLEN KEY SET SHORT
1.5 - 10 mm, 9 pcs**

Art. No. 071531100

Bright nickel-plated



**ALLEN KEY SLIDING SET
1.5 - 10 mm, 9 pcs**

Art. No. 071531120



GUN MAGAZINE SCREWDRIVER

Art. No. 0613640...

- With LED light, empty.
- High-performance ratchet screwdriver.
- 2C grip for optimum ergonomic work.
- Inclusive of 6 bits.



BIT SET - 105 pcs

Art. No. 0614250300

- Extensive 1/4 inch bit assortment with short and long versions of the most common standard and security bits.



**T-HANDLE RATCHET
SCREW DRIVER SET - 21 pcs**

Art. No. 0613630400

- High-performance ratchet screwdriver.
- Large number of different reversible blades, adapters, bit holders and socket wrench inserts.
- High-quality reversible blades.

HAND TOOLS



SCREWDRIVER SET AUTOMOTIVE/METAL 5 pcs

Art. No. 06139255

mm	Art. no.		Art. no.	PU/Qty.
1.0 x 5.5 x 100	0613 424 055	PH 1	0613 425 1	1
1.2 x 6.5 x 125	0613 424 065	PH 2	0613 425 2	1
1.6 x 8.0 x 150	0613 424 08			1



SCREWDRIVER SET FOR HEXAGON HEAD SCREWS 6 pcs

Art. No. 06139366

mm	A mm	Art. No.	mm	A mm	Art. No.	PU/Qty.
6.0	125	0613 436 06	10	125	0613 436 10	1
7.0	125	0613 436 07	12	125	0613 436 12	
8.0	125	0613 436 08	13	125	0613 436 13	



FEELER GAUGE SET D

Art. No. 1952000018 2417

Art. No. 1952000232 2417MS


- For checking spark plug electrode gaps
- Non-magnetic



T-HANDLE SOCKET WRENCH SET 5 pcs

Art. No. 061391205

in mm	Blade length in mm	Art. No.	P. Qty.
6.0	125	0613 120 06	1
7.0	125	0613 120 07	1
..0	125	0613 120 08	1
10.0	125	0613 120 10	1
13.0	125	0613 120 13	1



T-HANDLE SCREWDRIVER SET TX 6 pcs

Art. No. 061391406


	Blade length in mm	Art. No.	P. Qty.
TX 10	100	0613 140 10	1
TX 15	100	0613 140 15	1
TX 20	200	0613 140 20	1
TX 25	200	0613 140 25	1
TX 30	200	0613 140 30	1
TX 40	200	0613 140 40	1

HAND TOOLS



SCREWDRIVER SET TX 8 pcs

Art. No. 06139348

	A mm	Art. No.	P. Qty.
TX 10	80	0613 434 10	1
TX 15	80	0613 434 15	1
TX 20	100	0613 434 20	1
TX 25	100	0613 434 25	1
TX 27	115	0613 434 27	1
TX 30	115	0613 434 30	1
TX 40	130	0613 434 40	1
TX 45	130	0613 434 45	1



UNIVERSAL SHEARS

Art. No. 0714031028

- Universal straight-cutting leverage snips.
- Extra long, laterally stepped blades.
- Stainless steel cutting head.
- Robust, maintenance-free, bright nickel-plated steel handle.
- Angled cutting head.



CLIP REMOVAL PLIERS

Art. No. 0714500

- Simple removal of decorative trim, fender rubber, door paneling, etc.
- Does not damage door paneling.
- Removed clips can be re-used.
- Blade opening: 11 mm.
- Length: 280 mm.



PLIERS ASSORTMENT 1 4 pcs

Art. No. 071401560

Contents	Art. No.	Total length
Combination Pliers	0714 01 555	180 mm
Wire Stripping Pliers	0714 01 550	160 mm
Snipe Nose Pliers	0714 01 557	210 mm
Power Side Cutters	0714 01 552	160 mm




CIRCLIP PLIERS SET

Art. No. 071402...

Description	Art. No.
Straight curved	071402 30
Straight	071402 31
Curved	071402 32

HAND TOOLS



PRY REMOVAL SET 11 pcs

Art. No. 071458000



WORKSHOP FILE SET

Art. No. 071461 90

Contents:

- Flat blunt.
- Semi-circular.
- Circular.
- Triangular.
- Square.




CLIP REMOVAL 280 mm

Art. No. 071434 52



CLIP REMOVAL, Short

Art. No. 071434 53



CLIP REMOVAL, Long

Art. No. 071434 54



WINDOW AND TRIM WEDGE

Art. No. 071458 30



STEPPED LEVER

Art. No. 071458 38



WIRE BRUSH

Description	Art. No.
2 Rows	06972
4 Rows	06974



PLASTIC TRIM WEDGE

Art. No. 071458 32



UNIVERSAL HOOK

Art. No. 071458 39



CLAW GRIPPER, FLEXIBLE

Art. No. 0695559200



CLAW GRIPPER, FLEXIBLE, WITH PLASTIC HANDLE 500 mm

Art. No. 07153580

HAND TOOLS



SIMPLEX SOFT FACE HAMMER - Rubber, D 50 mm

Art. No. 07157230

- Aluminium housing.
- 2 hammers in 1 with 2 different impact inserts.



SIMPLEX SOFT FACE HAMMER D 40 mm

Art. No. 0715721

- Soft face hammer with custom equipment.
- Impact insert combination creates 2-in-1 soft face hammer.
- Includes inserts: Black rubber composition and red plastic.



RECOIL FREE HAMMER

Art. No. 07157235

Recoil-free soft-face hammer for corners, edges and surfaces for which hammers with round impact inserts are unsuitable.



1/2" RATCHET - LEVER

Art. No. 071201201

- Fast, simple reversing of clockwise and counterclockwise rotation with lever.
- Coarse toothing with 48 teeth – 7.5° rotating angle.
- 12.5 Drive with Ratchet length as 250 mm.
- Safety lock with quick ejector – locked & unlocked.



3/8" RATCHET

Art. No. 07120380

With rotary disc reverse



MECHANICS HAMMER

Art. No. 0714732403

- Robust 3-component hammer handle for use in the toughest conditions.
- Vibration-free working.



NON-REBOUNTING HAMMER

Art. No. 071572 52

- Nylon head inserts.
- Casing filled with steel shot.
- As the hammer strikes, the steel shot delivers additional blows.
- No power loss due to rebounding.



1/2" RATCHET

Art. No. 07120120

- Reversible ratchet wrench with rotary disc reverse.
- Simple changeover from clockwise to anti-clockwise rotation.
- Fine tooth rotary disc with 72 teeth; 5° angle of rotation.
- Chrome-plated, 2-component handle.



1/4" RATCHET

Art. No. 07120140



1/4" RATCHET - LEVER

Art. No. 071201401

- 6.3 Drive with Ratchet length as 135 mm.



3/8" JOINTED HEAD RATCHET

Art. No. 071512 14

- Model: Chrome-plated.
- Head: Joint rotatable by 180 degree.
- Jointed-head ratchet can be extended using locking sleeve.

HAND TOOLS



TORQUE WRENCH
1/4" (4-20NM)

Art. No. 07147120

With swiveling square drive



DRIFT SET – 14 PCS

Art. No. 0965900701



1" SOCKET WRENCH ASSORTMENT
12 pcs

Art. No. 09651512



1/4" SOCKET WRENCH ASSORTMENT
16 pcs

Art. No. 09651116



TORQUE WRENCH

Drive	Measuring range		Art. No.
	Nm	lbf.ft.	
3/8"	20-100	15- 80	0714 71 21 ¹
1/2"	20-100	15- 80	0714 71 22 ²
1/2"	40-200	30-150	0714 71 23 ³
1/2"	60-300	45-220	0714 71 24 ⁴



METAL BOW SAW, ERGONOMIC

Art. No. 05760071001

- Ergonomic, aluminium die cast metal bow saw.
- Extremely robust and highly scratch-resistant.
- Prevents hand slipping from saw.
- Two saw blade positions (45° and 90°).



1/2" SOCKET WRENCH ASSORTMENT
23 pcs

Art. No. 096513230



3/4" SOCKET WRENCH ASSORTMENT
15 pcs

Art. No. 09651415

HAND TOOLS



3/8" SOCKET WRENCH ASSORTMENT

Art. No. 096512 34

Contents: 34 pcs.

- Reversible ratchet.
- Extension, 75 mm.
- Extension, 250 mm.
- Cardan joint.
- 14 socket wrench inserts, short: Sizes 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm.
- 8 socket wrench inserts: E 5, 6, 7, 8, 10, 11, 12, 14 mm.
- 8 TX socket wrench inserts: TX 15, 20, 25, 27, 30, 40, 45, 50 mm.



1/2" & 1/4" SOCKET WRENCH SET

Art. No. 09651756

Contents: 56 pcs .

- 1/4"
- Ratchet.
 - Extension, 100 mm.
 - Extension, 150 mm.
 - Cardan joint.
 - 12 Socket wrenches: 4; 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14 mm
- 1/2"
- Ratchet.
 - Extension, 125 mm.
 - Extension, 250 mm.
 - Cardan joint.
 - 19 Socket wrenches: (10 - 32) mm.
 - Handle, 1/4".
 - Adapter with quick-change chuck.
 - 15 Bits: PH 1, 2, 3; slotted 0.8 x 5.5 mm; Internal hex. 3, 4, 5, 6 mm.
 - TX 10, 15, 20, 25, 27, 30, 40 mm.



UNIVERSAL TOOL CASE

Art. No. 096593 120

Contents: 91 pcs.

- ZEBRA combination wrench, 11 parts: 8-22 mm.
- Combination pliers: 180 mm.
- Hammer, 400 g.
- Water pump pliers, 250 mm.
- Voltage tester 3.0 mm, 150-250 volts.
- 1/4" ratchet, cardan joint, extension 50 + 100 mm, socket wrench insert, 12 pcs: (4-14) mm.
- 1/2" ratchet, cardan joint, extension 125 mm + 250 mm, socket wrench insert, 19 pcs: (10-32) mm.
- Screwdriver 1/4" square, screwdriver, slotted, 0.6 x 3.5 x 100 mm, 1.2 x 6.5 x 150 mm.
- Screwdriver PH 1, PH 2.
- Bit assortment, 30 parts.

HAND TOOLS



Art. No. 5964502002

32 PCS



Art. No. 5964502002

16 PCS

TOOL CASE ELECTRIC AND HYBRID VEHICLE SYSKO

- Especially suitable for electric and hybrid vehicles.
- Case containing a wide range of the most important VDE tools and accessories
- Suitable for vehicles from any manufacturer



VDE 3/8" RATCHET

Art. No. 0715003038

- Especially for electrical and hybrid vehicles
- For working on live parts up to 1000 volts (AC) and up to 1500 volts (DC), observing all prescribed safety precautions



VDE 3/8" EXTENSION

Art. No. 071500301



3/8" VDE SOCKET WRENCH

Art. No.	Width
071500308	8 mm
071500310	10 mm
071500312	12 mm



BOX WRENCH VDE

Art. No.	Width
715002308	8 mm
715002310	10 mm
715002312	12 mm
715002313	13 mm
715002314	14 mm



3/8" VDE SOCKET WRENCH HEXAGON SOCKET

Art. No. 071500404



3/8" VDE SOCKET WRENCH HEXAGON

Art. No.	Width
715003108	8 mm
715003110	10 mm
715003112	12 mm
715003113	13 mm
715003114	14 mm
715003117	17 mm

HAND TOOLS

DRILLING & PUNCHING



SPIRAL DRILL BIT, HHS

Art. No. 06344

- Special core geometry at the drill tip and reduced chisel edge (has the effect of drill point thinning).
- Reinforced, sequential core increment.
- DIN 388 type RN assortment 19 pcs.



SPIRAL DRILL BIT – HHS, METAL SET

Art. No. 062501

- Economical HSS twist drill for general use in steel, up to 800 N/mm².
- Clearly laid down, consistent quality - above market standards.
- For use in hand-held drills.



CHISEL SET – 4 PCS

Art. No. 071463 40

- Completely hardened shaft, Chrome vanadium air hardening steel.
- Regrindable blade.
- Oil-resistant PVC and Octagonal handle.
- Rebound impacts.
- Contents: Electricians' slitting chisel, bodywork chisel, stone chisel, joint chisel.



PIN PUNCH SET – 5 PCS

Art. No. 07146320

- Ergonomically shaped 2C handle.
- Vibration protection.
- Impact guard.
- Tempered tool steel.
- L X Ø (230 X 8, 240 X 10, 260 X 12, 280 X 14, 290 X 16) mm.



PIN PUNCH AND CHISEL SET

Art. No. 096563 100

- Pin Punch and Chisel Set with tempered striking head.
- Contents: 6 pcs.
- Pin Punch:
 - Center punch: L=120 mm.
 - Punch: L=120 mm.
 - Punch: L=120 mm.
- Chisel:
 - Flat chisel: L=125 mm.
 - Flat chisel: L=150 mm.
 - Cross chisel: L=125 mm.



STUD EXTRACTOR ASSORTMENT

Art. No. 06904211

- For driving in and extracting stud bolts with and without threads in seconds.
- Contents:
 - 4 stud extractors: Dia (6, 8, 10, 12) mm.



SCREW EXTRACTOR ASSORTMENT

Art. No. 0695684353

- Chrome vanadium, forged.
- Contents:
 - 5 screw extractors.
 - Sizes 1, 2, 3, 4 and 5 (M3-M18).



THREAD EXTRACTOR SET 25 pcs

Art. No. 069014

- For broken-off screws and bolts from 6-16 mm or 1/4 to 5/8 inches.
- Complete set, also comprises necessary twist drills.

PNEUMATIC TOOLS



3/8" PNEUMATIC IMPACT WRENCH

Art. No. 070331138

- Twin hammer mechanism
- Max. Torque: 270 Nm.
- Avg. operating pressure: 6.2 bar



3/4" PNEUMATIC IMPACT WRENCH

Art. No. 070331134

- High-quality twin hammer mechanism provides more power and smooth balanced blows for reliable, maximum performance values.
- Max Torque: 1490 Nm.



1" PNEUMATIC IMPACT WRENCH, SHORT

Art. No. 07037760

- Extremely rugged and powerful impact wrench with quick torque buildup.
- Ideal for service work on trucks and buses, as well as on construction and agricultural machines.
- 4 tightening torque levels (895 - 1694) Nm.
- Max. loosening torque 2440 Nm.



1/2" IMPACT SOCKET SET, SHORT - 4 pcs

Art. No. 071413251

Art. No.	L in mm	Model	Size in mm
07141319	45	Metric, Short, Deep	17
07141320			19
071413212			21
07141321			22



PNEUMATIC DIE GRINDER

Art. No. 07032290

- 6 mm and 1/4" collet in the delivery scope
- Built-in regulator .
- Light weight and compact design for easy one-hand operation.
- Ideal for grinding edge-breaking, deburring and polishing.
- Safety Throttle Lever to prevent accidental start up.
- Rear Exhaust.



1/2" PNEUMATIC IMPACT WRENCH

Art. No. 07037560


- Outstanding power-to-weight ratio.
- High performance twin hammer impact mechanism and heavy duty hammer system provides up to 860 Nm of maximum torque in reverse.
- Six-position power management operated by turn-knob in forward & reverse.



1/2" PNEUMATIC IMPACT WRENCH

Art. No. 07037360

- Reliable, powerful impact wrench with fast torque buildup.
- Recommended maximum bolt size: M15. Ideal for changing tires.
- Max. releasing torque: 569 Nm
- Avg. operating pressure: 6.3 bar



1" PNEUMATIC IMPACT WRENCH, LONG

Art. No. 07037700

- Working torque levels: 1152 - 2168 Nm.
- Max. Loosening torque: 2846 Nm.
- High-quality pin-less hammer striking mechanism.
- Avg. operating pressure: 6.3 bar.
- Weight: 13.06 kg



1" IMPACT SOCKET SET, SHORT - 4 pcs

Art. No. 07141500

Art. No.	L in mm	Model	Size in mm
07141502	58	Metric, Short	27
07141503	60		30
07141504			32
07141533			33



1/2 INCH IMPACT SOCKET WRENCH SET - 3 pcs

Art. No. 071413030

- 17 mm
- 19 mm
- 21 mm

PNEUMATIC TOOLS



1" IMPACT SOCKET WRENCH, LONG

Hexagon, metric, long

Size in mm	L in mm	Art. No.
24	90 mm	071415124
27	90 mm	071415127
30	90 mm	071415130
32	90 mm	071415132
33	90 mm	071415133
34	90 mm	071415134
36	90 mm	071415136
38	95 mm	071415138
41	95 mm	071415141
46	95 mm	071415146
55	105 mm	071415155
60	110 mm	071415160
65	115 mm	071415165
70	120 mm	071415170
75	135 mm	071415175
80	135 mm	071415180



1" IMPACT SOCKET WRENCH, SHORT

Hexagon, metric, long

Size in mm	L in mm	Art. No.
22	58 mm	071415001
24	58 mm	07141501
27	58 mm	07141502
30	62 mm	07141503
32	62 mm	07141504
33	62 mm	07141533
34	62 mm	071415041
36	65 mm	07141505
38	65 mm	07141538
41	68 mm	07141541
42	68 mm	07141542
46	72 mm	07141546
50	75 mm	07141550
55	83 mm	07141555
60	87 mm	07141560
65	90 mm	07141565
70	93 mm	07141570
75	95 mm	07141575
80	95 mm	07141580



1/2" IMPACT SOCKET WRENCH, LONG

Hexagon, metric, long

Size in mm	L in mm	Art. No.
8	78 mm	071413125
10		071413127
11		071413128
13		07141313
14		071413130
16		071413131
17		07141314
18		071413142
19		07141315
21		071413151
22		07141316
23		071413161
24		07141317
27		07141318
30		071413194



1/2" IMPACT SOCKET WRENCH, SHORT

Hexagon, metric, long

Size in mm	L in mm	Art. No.
3/8 inch	38 mm	07141302
10	38 mm	07141303
11	38 mm	071413031
12	38 mm	07141304
13	38 mm	07141305
14	38 mm	07141306
15	38 mm	07141307
16	38 mm	071413071
17	38 mm	07141308
18	38 mm	071413081
19	38 mm	07141309
21	38 mm	071413091
22	38 mm	07141310
23	38 mm	071413101
24	38 mm	07141311
27	42 mm	07141312
30	42 mm	07141330
32	44 mm	07141332
34	44 mm	07141334
36	48mm	07141336



3/4" IMPACT SOCKET WRENCH, LONG

Hexagon, metric, long

Size in mm	L in mm	Art. No.
17	90 mm	07141409
18		071414091
19		07141410
21		071414101
22		07141411
24		07141412
27		07141413
30		07141414
32		07141415
33		071414151
34		071414152
36		07141416
41		07141441
46		07141446



3/4" IMPACT SOCKET WRENCH, SHORT

6-point, metric, short

Size in mm	L in mm	Art. No.
17	51 mm	07141401
18	51 mm	071414011
19	51 mm	07141402
21	51 mm	071414021
22	51 mm	07141403
24	51 mm	07141404
27	54 mm	07141405
30	54 mm	07141406
32	57 mm	07141407
33	57 mm	071414071
34	57 mm	071414072
36	57 mm	07141408

PNEUMATIC TOOLS



PNEUMATIC ORBITAL SANDER

Art. No. 0703 999 010 (Central Vacuum)

- Sanding of putty, fillers, paint finishes and primers.
- Also for grinding of wood, plastic material, non-ferrous metal, steel sheet metal, glass and earthenware, building material etc.
- Dust extraction with vacuum cleaner for Central Vacuum Machine.
- Self Vacuum Machine provided with dust collection bag and hose.



Art. No. 0703 999 009 (Self Vacuum)



PNEUMATIC BELT SANDER

Art. No. 07032810

- Tool with high removal capacity, ideal for sanding, removes burrs and rust.
- Adjustable arm up to 360 °
- Arm Holder with integrated spring that keeps tension on the sanding belt.
- Quick and easy replacement of sanding belt.



PNEUMATIC RIVETER

Art. No. 070393722

- Handy, compact pneumatic unit for processing blind rivets, with rivet mandrel extractor activated by a lockable sliding switch.
- Can be used to process blind rivets with a diameter of 2.4 mm–5.0 mm made of any material, and limited use for blind rivets with a diameter of 6.0 mm made of aluminium/steel.
- Maximum mandrel diameter: 3.2 mm.
- Patented gripping jaw system.
- Rivet setting force: 9000 N.
- Minimal compressed-air consumption.
- Over-pressure valve prevents overload.



PNEUMATIC BELT SANDER DBS 10 STANDARD

Art. No. 07032710

- Handy and compact pneumatic belt sander for 10x 330-mm grinding belts.
- For grinding, deburring and satin finishing in hard-to-reach places.
- Quick and simple grinding belt replacement.
- The grinding arm can be rotated through 360°, ensuring great ease of operation.



PNEUMATIC DRILL DBM 10 mm

Art. No. 07037960

- Especially lightweight, handy drill with quick-action drill chuck.
- Right/left changeover with 10-mm drill chuck.
- Max. idle speed: 1700 rpm.
- High-quality drill chuck.
- Precision planetary gear for maximum power transmission and long service life.



FILTER REGULATOR LUBRICATOR

Art. No. 069910112

- Filter, Regulator, Oiler combination. Supplies clean, regulated, oiled air and increase the performance and service life of your tools.
- High degree of cleaning of the compressed air, filter element 5 µm.

PNEUMATIC TOOLS



PNEUMATIC HOSE DRUM

Art. No. 0699999007/8

- Length: 100 mm
- Max. working pressure: 120 psi
- Colour: Blue & Yellow
- Material: Polyurethane



PNEUMATIC SPIRAL HOSE

Art. No. 0699940610

The highly flexible, fabric reinforced PVC hose for highest demands in the area of compressed air.



AIR BLOW GUN

Art. No. 07149220

- Continuously adjustable.
- Insulated, ergonomic handle.
- Lightweight, rugged design.



AIR PISTOL

Art. No. 0714922100



MALE COUPLER - EX STEEL

Art. No.	CON Size
0699999000	1/4"
0699999001	1/2"



MALE COUPLER - EX BRASS - 1/4"

Art. No. 06992114



MALE PLUG STEEL - IN THREAD - 1/4"

Art. No. 0699999010



FEMALE QRC STEEL for 8 x 12 mm HOSE

Art. No. 069918121



FEMALE COUPLER - IN STEEL

Art. No.	CON Size
0699998050	1/4"
0699998051	1/2"



FEMALE COUPLER - IN STEEL 1/4"

Art. No. 06991014



FEMALE QRC STEEL 1/4" EX THREAD

Art. No.	CON Size
0699999002	1/4"
0699998052	1/2"



1/4" SWIVEL CONNECTOR for 8 x 12 mm HOSE

Art. No. 069971110

AUTOMOTIVE SPECIAL



NUMBER PLATE HOLDER 2 pcs

Art. No. 0765500120

- Width: 120 mm
- Height: 500 mm
- Material: PP - Polypropylene



LETTER PUNCHES

Art. No. 0695941625

Character height: 5 mm



REFLECTIVE TAPE 50 mm x 50 m

Art. No. 0812447...



MAGNETIC LIFTER

Art. No. 071535 35

Flexible shaft for versatile applications.



CLAW GRIPPER

Art. No. 0695559200

BODY & PAINT

DENT REMOVAL





SPOT DENT PULLER

Art. No. 0691500166

- For Dent Removal in all steel body work using welding
- For quick removal of dents
- Saves time and material
- Auto start function for quick welding process

Welding Accessories				Consumables			
Article No.	Description	Image	Qty.	Article No.	Description	Image	Qty.
0691560018	Sliding Hammer Dent Puller		1	069156027	Copper Triangle Tip		5
069156020	Zig Zag Welding Electrode		1	069156031	Zig Zag Wire		5
069156021	Compression Copper Electrode		1	069156028	Long Washer		5
069156023	Long Washer Welding Holder		1	069156019	Carbon Electrode		1
069156025	Earthing Holder		1				
069156026	Dent Pulling Hook		1				
Spanner (S 24,27)			1				

To be ordered separately

0691115510	CLAW JAW HAMMER	
0691115511961	BODY STRAIGHTENER	

Application

- Triangle washer welding
- Round washer welding
- Straight and Twisted long washer welding
- Welding of corrugated wire
- Compression with copper electrode
- Retraction with carbon electrode



DENT REMOVAL SYSTEM PINPULLER® SET

Art. No. 0691500169

All-purpose dent removal system with welding and gluing accessories for bare steel and painted surfaces.

Welding accessories:

- 1 PinPuller with feet
- 1 PinPuller electrode, 3x
- 1 PinPuller electrode, 5x
- 1 copper electrode
- 1 short screwdriver, 1.2 x 6.5 mm
- 1 electrode file

Adhesive system accessories:

- 1 each of plastic wedge, plastic knock down, gloves – size 9, acetone cleaner 250 ml, adhesive remover 150 ml, 1 Minilifter pulling piece.
- 2 each of ball tabs (red) 5 x 16 mm diameter; 5 x 27 mm diameter; 5 x 21 mm diameter and 5 x 32 mm diameter.
- 10 brown glue sticks, high-strength, 12 mm diameter.

BODY & PAINT

DENT REMOVAL



PROFILE GAUGE
L 400 mm

Art. No. 071464 400

- For transmitting profiles.
- The profile gauge can be infinitely extended.
- The profile gauge adapts to direction changes via the delay angle.
- The scanned profiles can be transported in a secure manner, without modification.



PANEL BEATING SET
9 pcs

Art. No. 071574 70

- Round anvil.
- Hand anvil, heel shape.
- Hand anvil for mudguards.
- Lever and planishing tool, small version.
- Lever and planishing tool, strongly angles.
- Planishing hammer, long version.
- Shrink, planishing and finishing hammer, grid.
- Shrink, planishing and finishing hammer.
- Special peen planishing hammer.

HAND DOLLIES



Dolly for wing repair work

Art. No. 07157401



Dolly for Edges (wedge shaped)

Art. No. 07157402



Dolly Mercedes Shape

Art. No. 07157403



Dolly Heel-shaped

Art. No. 07157404



Dolly Toe-shaped

Art. No. 07157407



DENT FINDER LAMP

Art. No. 0981115

- For automotive body repair workshops.
- Hand-held lamp including professional suction base – your hands remain free for repair work.
- Power rating: 11 W

BODY & PAINT

CUTTING & GRINDING



PNEUMATIC ANGLE GRINDER

Art. No. 07038570

- Powerful 0.85hp (640W) high performance motor for fast, efficient grinding in tight quarters.
- Bevel gearing in angle head provides extended life and smooth low vibration.
- Excellent for weld preparation and smoothing, rust removal, deburring and blending of steel, cast iron and aluminium.



PNEUMATIC JIGSAW

Art. No. 0703881

- Robust body saw for long operating times and tough applications.
- Ideal for cutting aluminium, plastic, fibreglass (max. 4 mm) and sheet metal up to 1.6 mm.
- Saw blade rotates through 180° for working overhead.
- Strokes: 10000 rpm.
- Weight: 0.68 kg.



BODYWORK SAW BLADE - FLAT ADAPTER

Art. No. 06969241/321



BODYWORK SAW BLADE - SIG ADAPTER

Art. No. 0696924/32



BIMETAL SAW BLADE HSS

Art. No. 0603300133

High-alloyed, high-speed steel on tooth edge, tough tool steel on ridge.



CONICAL BRUSH, RUST FREE WIRE

Art. No. 0714692411


- For angle grinders.
- Machining stainless steel.



CONICAL BRUSH

Art. No. 0714691411

- For angle grinders.
- Special shape brushes, can be used to machine hard-to-reach places.
- Material: Steel
- Hardened steel wire, braided counter clockwise.



MINI FIBRE DISCS

Art. No. 058000...

- Zirconium corundum, with quick-change mounting.
- Rugged polyester cloth.
- High tear resistance.



HOLDER 50 mm x 6 mm

Art. No. 067298960

Art. No.	Size
058657801	50 mm - 6 mm
058657802	76 mm - 6 mm



PNEUMATIC ROD GRINDER

Art. No. 0703231014

- Rod grinder developed especially for the toughest applications (e.g. deburring work) with high power reserves.
- Long-life.
- Max. idle speed: 22000 U/min(rpm).
- Power output: 224 W.

Dia. mm	Mounting system	max. min ⁻¹	recom. min ⁻¹	Grain size	Art. no.	PU/Qty.
50	Compatible with 3M Roloc system 	30,000	20,000	36	0580 005 036	50
50		30,000	20,000	40	0580 005 040	50
50		30,000	20,000	60	0580 005 060	50
50		30,000	20,000	80	0580 005 080	50
50		30,000	20,000	120	0580 005 012	50
75		20,000	12,000	36	0580 007 536	50
75		20,000	12,000	40	0580 007 540	50
75		20,000	12,000	60	0580 007 560	50
75		20,000	12,000	80	0580 007 580	50
75		20,000	12,000	120	0580 007 512	50

BODY & PAINT

WELDING



ANTI - SPATTER SPRAY 500 ml

Art. No. 0893102550

Bio-safe welding protection spray for aluminium, structural steel, nonferrous metals, stainless steels, etc.



ZINC SPRAY 400 ml

Art. No. 0893113120

- Excellent corrosion protection and refinishing damaged metal surfaces
- Good adhesion to most metal surface
- Quick-drying, can be paint-coated
- Can be spot welded



MIG WELDING COIL

Art. No. 09820...

Art. No.	Size	Weight
0982008200	D0.8 mm	12.5 kg
0982012200	D1.2 mm	15 kg

- Welding wire for MIG/MAG welding AWS/ASME - SFAS .18 copper plated.
- Suitable for single and multi - layer welding of unalloyed steel with tensile strength of up to 560 N/mm².



MIG WELDER 250 A

Art. No. 5952001250

- Digitally controlled new technology IGBT inverter for MIG welding.
- Stepless induction adjustment.
- 2 in 1. Two different welding modes - MIG and STICK (electrode)



MIG WELDER 250 A

Art. No. 0702352250

ACCESSORIES



TIP ADAPTOR

Art. No. 0984250106



GAS NOZZLE

Art. No. 0984250102



MIG WELDING TORCH

Art. No. 0984250104



CONTACT TIP

Art. No. 0984250100

GRIPPING & CLAMPING



FIXING CLAMP SET

Art. No. 096574417

- For rapid and simple securing of sheet metal for welded and bonded connections.
- Rapid attachment and releasing of clamps.



VICE-GRIP PLIERS SET 3 pcs

Art. No. 071309 28

- Universal jaws
- Effortless release lever with spring mechanism.
- One-hand operation – pull-action instead of push-action.
- Lock nut for fixing clamping width, setting retained for repetitive applications.

BODY & PAINT

RUST PREVENTION



RUST-STOP QUATTRO 400 ml

Art. No. 08932141

- Fast-drying universal primer with a broad range of applications.
- Adhesion promoter.
- Corrosion protection.
- Welding primer.
- Very high temperature resistance up to 300°C, briefly up to 500°C.



ALUMINIUM SPRAY, MATT PERFECT 400 ml

Art. No. 0893114115

- Outstanding long-term protection and optimum metal surface appearance.
- Aluminium coloured.
- High degree of resistance to running.
- High abrasion resistance and spot weldable.



ZINC SPRAY LIGHT PERFECT 400 ml

Art. No. 0893114114

- Outstanding long-term protection and optimum metal surface appearance.
- Zinc Bright colour, Gloss.
- High degree of resistance to running.
- Protection against corrosion 250 hours.



SURFACE RUST REMOVER 5 L

Art. No. 0890130

PLASTIC REPAIR



PLASTIC ADHESIVE REPLAST

Art. No. 08935004

- An adhesive for virtually every type of plastic.
- Can be used for repairs and structural bonding.
- Application area: Cars: Spoilers, radiator grilles, panel clips, bumpers, brackets on headlights and radiators etc. HGVs and buses: Aprons, bumpers, air intake pipes, wheel arches etc. Motorcycles: All panelling.



PLASTIC REPAIR SYSTEM - REPLAST

Art. No. 05964089301

2-component adhesive for repairing plastic parts.



THERMO TACKER WTG 40

Art. No. 07022060

- Repair bumper instead of replacing it.
- Suitable for practically all types of plastic.
- The staples to be applied are stainless.
- Energy-saving.

BODY & PAINT

BODY REPAIR



BODYWORK REPAIR TOOLS PLANISHING SET
15 pcs. - 10 Tons

Art. No. 0715740100

- For heavy bodywork pressing tasks.
- Weight: 36 kg.



PLASMA CUTTER 50 A

Art. No. 5952001050

- Advanced IGBT technology provides reliable constant work with energy savings. Precise cutting edges for all thicknesses up to 12 mm.
- Max Current: 50 A



PLASMA CUTTER

Art. No. 0691500410

PLASMA CUTTER - ACCESSORIES



GAS DIFFUSER

Art. No. 0691500414



CERAMIC NOZZLE

Art. No. 0691500411



ELECTRODE

Art. No. 0691500415



NOZZLE


Art. No. 0691500413



BODYWORK REPAIR TOOLS PLANISHING SET
18 pcs. - 4 Tons

Art. No. 071574020

- For all light bodywork pressing tasks.
- Weight: 25 kg.



TELESCOPIC MEASURING UNIT

Art. No. 071564 99

For bodywork repairs.



BODYWORK FILE HOLDER

Art. No. 071461 73

- Concave and convex settings.
- Aluminium handle.



BODYWORK FILE BLADE

Art. No. 071461 71/72/711/712/713

- Flat.
- Double-sided, radial milled.



PUNCH PLIERS

Art. No. 07150246

- With adjustable limit stop
- Capacity up to 1.5 mm



AUTOMATIC CENTRE PUNCH

Art. No. 071463410

- For quick and convenient centre punching
- Automatic, one-handed impact trigger

BODY & PAINT

SPOT REPAIR



PNEUMATIC VARIO DRILL VD 90

Art. No. 0703090...

- For fast, convenient removal of spot welds.
- The 360° rotatable contact bail prevents slipping and ensures easy working, even in hard-to-reach places.
- Low speed 800 rpm.
- High Torque.



SPOT WELD CUTTER FOR PNEUMATIC MACHINES

Art. No. 0710189080



SPOT WELD CUTTER FOR PNEUMATIC MACHINES HSCO LONGLIFE

Art. No. 0710140080



Art. No. 06981

SPARE SPOT WELD MILLING CROWN

Art. No. 069801 **SPARE CUTTER**

- Milling depth can be set by using the setting screw.
- Cutter crown can be used both sides.
- No tearing of sheet metal.
- No deformation.
- Quick and economical.



PNEUMATIC CHISEL HAMMER

Art. No. 07037121

- Extremely robust, powerful chisel hammer with Max. Impact rate 2900 rpm.
- Rugged, partially rubberised housing.
- Anti-slip, ergonomic handle with adjustable trigger.
- Includes retaining spring and alternative quick-action chuck and 5 chisels made from special steel.

SPOT WELDER

Art. No. 0691500221

- Multi-functional spot welding device with aircooled spotting tongs and TE 95 dual control.
- Suitable for conventional joining of metal sheets.
- **Application area:**
Car body Shop:
Resistance Spot Welding, Dent Lifting,
Rivet Welding.



BODY & PAINT

SEALING



BOND + SEAL 300 ml

Art. No.	Colour
08901001	White
08901002	Grey
08901003	Black

- Permanently elastic silicone sealing compounds for engine and bodywork
- Excellent adhesion



BODYWORK ADHESIVE POWERBOND 195 ml

Art. No. 0893450110

- High-strength 2-component epoxy resin system for bodywork repairs
- Glass particle technology
- Excellent stability



MIXING TUBE FOR POWER BOND

Art. No. 0891450101



PAINTABLE BODY SEALANT 1.2 kg

Art. No. 0892010

- Sealing compound for recreating the original brushstroke effect produced at the factory and for sealing of welds, seams, joints and overlaps in motor vehicles
- Quick drying
- Can be painted over



MANUAL APPLICATION GUN PRESSFIX

Art. No. 0891300310

- For bag sealants
- Light application of force and uniform extrusion of bag sealant
- Immediate power transmission to the push rod
- Easy to clean



NYLON BRUSH

Art. No. 069330

For applying spreadable sealing compounds



MANUAL CARTRIDGE GUN BASIC

Art. No. 0891001



JET NOZZLE

Art. No. 0891660

- For 300 ml + 310 ml metal cartridges (fine thread)
- For adhesive sealant
- With excellent cutting option
- Length approx.: 10.5 cm
- Colour: Grey



PNEUMATIC APPLICATION GUN

Art. No. 0703891310

- Powerful and lightweight pneumatic application gun for applying products in cartridges
- Ideally suited for adhesives and sealants with high and low viscosities
- Rotary pressure controller on handle for slow and fast extrusion



BUTYL SEALING TAPE, VEHICLE

Art. No. 0894700122

Width(mm)	Length(mm)	Thickness(mm)
12	15	2
20	15	2

- Highly adhesive
- Double-sided sealing tape made from butyl rubber for overlapping sealing




PRESSURE CUP SPRAY GUN HRS 2

Art. No. 0891130

- For application of body cavity sealing products
 - With quick-action coupling
 - Fast, easy changing of probes
 - Stable, compact design
- Note:
- * Incl. nylon and hook probe

BODY & PAINT

ABRASIVES



VEHICLE DRY SANDPAPER DISC, P40 - P600

Art. No. 550 6353...



VEHICLE DRY SANDPAPER STRIP

Art. No.	Grid size	W x L
5506128...	P40 - P500	70 mm x 125 mm
5506129...	P40 - P500	70 mm x 198 mm
5506157...	P40 - P500	70 mm x 420 mm
5506132...	P40 - P100	115 mm x 230 mm



VEHICLE SANDPAPER DISC, ICE PERFECT, 21H - D150 mm


- Multi-purpose abrasive with an excellent performance and long life.
- High material removal with high durability over time.

Grain	Art. No.
P40	0574 353 004
P60	0574 353 006
P80	0574 353 008
P100	0574 353 010
P120	0574 353 012
P150	0574 353 015
P180	0574 353 018
P220	0574 353 022
P240	0574 353 024
P320	0574 353 032
P360	0574 353 036
P400	0574 353 040
P500	0574 353 050
P600	0574 353 060
P800	0574 353 080
P1000	0574 353 100
P1200	0574 353 120
P1500	0574 353 150
P2000	0574 353 200



VEHICLE DRY ABRASIVE ROLL

Art. No.	Grid size	W x L
5506247106	P60	115 mm x 15 m
5506247110	P100	115 mm x 50 m
5506247189	P180	115 mm x 50 m
5506247132	P320	115 mm x 50 m



**ABRASIVE PAPER, WET
230 x 280 mm, P60 - P2000**

Art. No. 058411...

- Silicon carbide.
- Usable without soaking, very flexible sandpaper.
- Sharp-contoured working.
- Outstanding finish.

BODY & PAINT

ABRASIVES



**VEHICLE DRY SANDPAPER
- PERFECT SOFT (200 pads)**

Art. No. 05506442...

Grit	Width x length	Art. No.
150	115 mm x 25 m	5506 442 115
180	115 mm x 25 m	5506 442 118
220	115 mm x 25 m	5506 442 122
240	115 mm x 25 m	5506 442 124
320	115 mm x 25 m	5506 442 132
400	115 mm x 25 m	5506 442 140
500	115 mm x 25 m	5506 442 150
600	115 mm x 25 m	5506 442 160



VEHICLE SANDING PAD

Art. No.	Grid size
0587001	280
0587002	500

Sanding in hard-to-reach areas such as door handle knobs, bumpers and radiator grilles.



**AUTOMOTIVE
FINE-SANDING DISC**


Art. No. 0587...

- For the removal of dust inclusions, paint runs, orange peeling, fine sanding before polishing and matting of paint surfaces.
- Available grits
500, 1,000, 2,000, 3,000, 4,000
- Color on grain side
50 mm dia.: black, 75 and 150 mm dia.: dark blue



**SANDING PLATE
D150 mm**

Art. No. 0586600111



**PROTECTIVE UNDERLAY FOR
VELCRO SUPPORT PLATE
150 mm**

Art. No. 0586393001



**HOOK & LOOP
PU FOAM PAD**

Art. No. 058601150



**SANDING BELT
9 mm x 330 mm**

Art. No.	Grid size
5997588210	P60
5997588184	P80

BODY & PAINT

FILLER/PUTTY/MASKING



LIGHT WEIGHT BODY FILLER VAKU 3 kg

Art. No. 0892603803

- Excellent adhesion capacity
- Easy to sand
- Fine finish



POLYESTER PUTTY VAKU 1 kg

Art. No. 0892601801

- Light weight polyester putty formulated for fast work, dries rapidly and is easy to sand
- Excellent adhesion on iron, steel, aluminum, galvanized and hot galvanized surfaces, GFRP and wood
- Dry or Wet sand-able



PRO FILLER 1 kg

Art. No. 08926038040

- Excellent adhesion to bare metal, FRP products and wood.
- Easy spreading and mixing
- Very good filling and coverage
- Fast tack free surface
- Easy and soft sanding.
- Excellent feather edging Etc.



MASKING PAPER

Art. No.	Size
089918200	45 cm x 200 m
089936200	90 cm x 200 m

- Waterproof on one side.
- Lint-free



MASKING TAPE

Art. No.	Size
0992068012	12 mm x 30 m
0992068024	24 mm x 30 m
0992068048	48 mm x 50 m

- Slightly crepe paper adhesive tape for general masking tasks.
- Excellent adhesion on smooth and painted surfaces
- For masking all smooth surfaces found in the construction and automotive sectors
- Resistant to moisture and solvents.



MASKING PAPER STAND

Art. No. 089958561



DRY GUIDE COAT Grey - 50 g

Art. No. 5867000050



SPATULA SET, 20 pcs

Art. No. 058657801/02

BODY & PAINT

OPS/SANDING BLOCKS



AUTOMASK HDPE PAINTWORK PROTECTION FILM
4 x 200 m

Art. No. 0818106410



HAND SANDING PAD

Art. No. 058703 120

- For cleaning, smoothing and matting surfaces.
- Grid size: 120.



PLASTIC HAND SANDING BLOCK

Art. No. 0899700321

Robust sanding block with two sandpaper holders and an abrasive pad with soft plastic backing.



VELCRO HAND SANDING BLOCK

Art. No. 058770 120

- The moulded back of the block fits perfectly into the palm of the hand.
- Better handling due to guide grooves.
- Excellently suited for sanding edges, as the Velcro hand sanding block optimally adapts to the surface to be sanded.
- The Velcro side ensures good adhesion and quick changing of the abrasive paper.



HAND SANDING BLOCKS
70 x 125 mm, 13 holes

Art. No. 0586300001

- Ergonomically-shaped sanding blocks with extraction for planar sanding fit perfectly in your hand and ensure dust- and fatigue-free sanding of fillers.
- Extraction for vacuum cleaner.



HAND SANDING BLOCKS
70 x 198 mm, 22 holes

Art. No. 0586300002



HAND SANDING BLOCKS
115 x 230 mm, 32 holes

Art. No. 0586300003



HAND GRINDING FILE
70 x 400 mm, 53 holes

Art. No. 0586300004

BODY & PAINT

PAINT



PAINT SPRAY GUN AZ 1 1.3

Art. No. NDI0000209990 1

NOZZLE KIT

Art. No. 5997572071



PAINT SPRAY GUN PRO 1 1.4

Art. No. NDI0000213990 1

NOZZLE KIT

Art. No. 5997572070



PAINT SPRAY GUN TOPCOAT DP 21 RP ZEBRA

Art. No. 0891700521

- Newly developed nozzle concept for even higher colour accuracy and uniform paint application.
- Wider, smoother spray for faster work.
- Perfect for applying base and clear lacquers.
- Even better surface quality for flawless paint finish.



PAINT SPRAY GUN AP HVLP ALL-ROUND

Art. No. 089170007



REPLACEMENT NOZZLE SET 1.4 FOR HVLP ALL AROUND GUN (Art. No. 089170005)

Art. No. 0891700071



GUN HOLDER

Art. No. 089170040

For paint guns.



SWIVEL JOINT

Art. No.	Size
06992614	1/4"
06992638	3/8"

For pneumatic tools



MANOMETER

Art. No. 0699261401

For connection to swivel joint

BODY & PAINT

WUERTH REPLACABLE CUP SYSTEM



REPLACEABLE CUP SYSTEM LID

Art. No. 0705800161

RCS 0.75 l. lid for Würth paint mixing cup

PAINT MIXING CUPS & LIDS

Disposable cups for mixing and storing paint materials and stains.

Designation	Size in ml	Art. No.	P. Qty.
Cup	385	0705 800 110	25
Cup	750	0705 800 120	25
Cup	1400	0705 800 130	25
Cup	2300	0705 800 140	25
Lid	385	0705 800 111	25
Lid	750	0705 800 121	25
Lid	1400	0705 800 131	25
Lid	2300	0705 800 141	25



FILTER SCREEN BLUE 125µ Filter Strainer

Art. No. 0705800152



FILTER SCREEN GREEN 200 µ Filter Strainer

Art. No. 0705800162

ADAPTER FOR WÜRTH REPLACABLE CUP SYSTEM (RCS)



Art. No. 0891700225



Art. No. 0891700226



Art. No. 0891700227



Art. No. 0891700228

PAINT



DUST CLOTH

Art. No.	Size
0899700001	80 x 50 cm
0899700005	32 x 100 cm

- For binding even the finest dust before painting work.
- For universal use.
- Slightly coarser mesh fabric with soft, harmless waterproofing.



FILTER SCREEN

Art. No.	Colour	Mesh size
0899700110	Yellow	190 µm
0899700100	Orange	260 µm

- Disposable screen for filtering lacquers, paints, primers, chemicals and other liquids
- Colour coding system for simple optical detection of mesh size

BODY & PAINT

PAINT



PAINT SPRAY - 400 ml

Art. No. 08930120...

Quick dry acrylic base paint spray with excellent adhesion.
Application area:

- Steel construction, etc.
- Vehicles
- Bodywork
- Windows, radiators, etc.

Universal Series	Color No.	Color	Art. No.
	RAL 1018	Zinc yellow	0893 012 018
	RAL 1036	Pearl gold	0893 012 037
	RAL 3020	Traffic red	0893 012 021
	RAL 5005	Signal blue	0893 012 006
	RAL 6020	Chrome green	0893 012 020
	RAL 7038	Agate grey	0893 012 038
	RAL 7039	Quartz grey	0893 012 039
	RAL 7043	Traffic grey B	0893 012 043
	RAL 9006	White aluminium	0893 012 019
	RAL 9007	Grey aluminium	0893 012 007
	RAL 9010	Pure white	0893 012 013
	RAL 9011	Graphite black	0893 012 011
	RAL 9016	Traffic white	0893 012 016
	RAL 9017	Traffic black	0893 012 017
	VARNISH		0893 012 069

Florescent series	Color No.	Color	Art. No.
	RAL 1026	Luminous yellow	0893 013 016

High Temperature

Content	Color	Art. No.
300 ml	Matte black	0893 012 027
300 ml	Aluminium	0893 012 026



PAINT BOOTH COATING 5 L


Art. No. 0893197005

- Booth surface protector.
- A water based product designed to protect booth walls and equipment from paint overspray.



PAINT BOOTH - 6.75 meter

Art. No. 59975578290



INFRA RED LAMP

Art. No. NDI0000223990 1

PAINT FINISHING

RUBBING/POLISHING



DIAMOND CUT

Art. No.	Content
0893463001	1 L
0893463020	200 ml
0893463010	100 ml

- 2 in 1 compound specially meant for polishing of all modern paint finishes.
- It removes fine scratches caused by dust particles, run downs & other imperfections in paint finish and polishes the surface at the same time.



PAINT RESTORATION POLISH

Art. No.	Content
0893151101	1 L
0893151200	200 ml
0893151102	100 ml

- High-quality product.
- Balanced combination of waxes, polymers and teflon.



NEW PAINT POLISH

Art. No.	Content
0893152001	1 L
0893152002	100 ml

- For all new uni and metallic paints.
- Effortlessly removes car wash scratches, insect residues, tar and other light paint dirt.
- Gives paint back its intensive deep shine.



RF 1000 - NANO CUT

Art. No.	Content
5997655753	1 kg
5997655754	100 ml

- One STEP Rubbing & Finishing Compound suitable for fresh and weathered painted surfaces.
- Suitable for removing roughness from freshly painted surface. Also for removal of sanding marks, oxidation & fine scratch marks quickly, giving a glossy surface.



POLISHING MACHINE EPM 2000-7

Art. No. 5717010010

- Very powerful polishing machine with additional D-handle for more convenient and comfortable operation.
- Non-slip D-handle for comfortable operation.
- Anti-vibrations system on head handle.
- Speed controller allows the polishing on different materials.



PNEUMATIC POLISHING MACHINE DPM 250

Art. No. 0703000871

- Very powerful and durable polishing machine for polishing painted surface.
- Longer service life
- 7" Air Angle Polisher
- Max. idle speed: 2500 U/min (rpm)



PNEUMATIC MINI POLISHER DMP 25

Art. No. 07032330

Small compressed air polisher for repairing minor paintwork damage

PAINT FINISHING

RUBBING/POLISHING



**MICRO ACTIVE CLOTH
BLUE - 40 x 40 cm**

Art. No. 0899900117



**MICROACTIVE CLOTH
PRO GLOSS**

Art. No. 0899900139



CLEANING CLOTH CLAY SERIES

Art. No. 0585300320



CLEANING PAD CLAY SERIES

Art. No. 0585300150



CLEANING SPONGE CLAY SERIES

Art. No. 0585300110



CLEANING GLOVE CLAY SERIES

Art. No. 0585300210



WOOL GRIP PAD

Art. No. NDI0000196990 1



FOAM PAD - YELLOW

Art. No. NDI0000188990 1



**SOFT POLISHING PAD
135 mm**

Art. No. 058528



**BUFF PAD
195 mm**

Art. No. 0585195



**POLISHING PAD - GREEN
EXTRA HARD D170 x 30 mm**

Art. No. 0585025145



**POLISHING PAD - ORANGE
SOFT D170 x 30 mm**

Art. No. 0585026170



**POLISHING PAD - BLUE
HARD D170 x 30 mm**

Art. No. 0585027090



POLISHING PAD CLEANING BRUSH












Art. No. 058524 1

PERFECTION LINE

THE CROWNING GLORY OF THE PREPARATION – PERFECT VEHICLE PAINTWORK

We will provide you with maximum innovative power to make vehicle preparation as easy as possible for you when it comes to polishing and sealing:
Now you can look forward to the new, even more efficient and perfectly harmonized products in the Würth Perfection Line.
Rediscover your passion for gleaming results!



P05 + P10	P20	P30	P-One Step 3 in 1	Paint sealing
 <p>Severe scratches Green pad or lambskin</p>	 <p>Severe scratches Blue pad or lambskin</p>	 <p>Hologram Orange pad or lambskin</p>	 <p>Severe scratches Blue pad or lambskin</p>	 <p>Paint sealing Polishing Puck or Wave Polishing Pad Minor scratches Blue pad</p>
 <p>Orange peel Green pad or lambskin</p>	 <p>Moderate scratches Blue pad or lambskin</p>		 <p>Moderate scratches Blue pad or lambskin</p>	
 <p>Trapped dust Green pad or lambskin</p>	 <p>Minor scratches Blue pad or lambskin</p>		 <p>Minor scratches Blue pad or lambskin</p>	

PERFECTION LINE

THE PERFECT SOLUTION FOR SEVERE SCRATCHES

POLISH P05 | POLISH P10

Highly abrasive, quick-action abrasive polish for the immediate removal of severe paint scratches. Combined with our green polishing pads they will give you maximum dirt removal – and a perfect result!

Polish P05, 1 kg | Art. No. 0893 150 005

Polish P10, 1 kg | Art. No. 0893 150 010

Green polishing pads series

Hard polishing pads for maximum dirt removal combined with minimal heat build-up. Your advantage: Gentle preparation even where there are heavy paint scratches.

Green pad 90 x 25 mm | Art. No. 0585 025 090

Green pad 145 x 25 mm | Art. No. 0585 025 145

Green pad 170 x 25 mm | Art. No. 0585 025 170


Alternative

White Lambskin 80 mm | Art. No. 0585 23 80


White Lambskin 125 mm | Art. No. 0585 235

White Lambskin 150 mm | Art. No. 0585 195

Premium Black Lambskin 135 mm | Art. No. 0585 135



Severe scratches



Orange peel



Trapped dust



PERFECT PREPARATION ON MODERATE AND MINOR PAINT SCRATCHES

POLISH P20

Moderately abrasive high-gloss polish for efficient paint preparation. Moderate and minor paint scratches can be efficiently removed in combination with our blue polishing pads – to deliver a perfect painted surface.

Polish P20, 1 kg | Art. No. 0893 150 020

Polish P20, 5 kg | Art. No. 0893 150 025

Blue polishing pads series

Medium-hard polishing pads for good dirt removal combined with minimal heat build-up. Your advantage: measured hardness, maximum perfection.

Blue Pad 90 x 25 mm | Art. No. 0585 027 090

Blue Pad 145 x 25 mm | Art. No. 0585 027 145

Blue Pad 170 x 25 mm | Art. No. 0585 027 170

Alternative

White Lambskin 80 mm | Art. No. 0585 23 80

White Lambskin 125 mm | Art. No. 0585 235

White Lambskin 150 mm | Art. No. 0585 195


Premium Black Lambskin 135 mm | Art. No. 0585 135



Severe scratches



Moderate scratches



Minor scratches



PERFECTION LINE

THE PERFECT FINISH

ANTI HOLOGRAM POLISH P30

High-gloss finish for the permanent removal of streaks and holograms on dark vehicle paints. Use in combination with our orange polishing pads to polish your vehicles to maximum shine – that will impress your client!

Polish P30, 1 kg | Art. No. 0893 150 030

Orange polishing pads series

Medium-hard polishing pads for good dirt removal combined with minimal heat build-up. Your advantage: measured hardness, maximum perfection.

Orange pad 90 x 25 mm | Art. No. 0585 026 090

Orange pad 145 x 25 mm | Art. No. 0585 026 145

Orange pad 170 x 25 mm | Art. No. 0585 026 170



PERFECT RESULT IN ONE STEP

POLISH P-ONE STEP 3IN1

Medium abrasive high-gloss polish for efficient paint preparation. In combination with our blue polishing pads, medium and minor paint irritation can be efficiently removed - for a perfect paint surface.

Polish P-One Step 3IN1, 1 kg | Art. No. 0893 150 060

Blue polishing pad series

Medium-hard polishing pads for good removal performance with minimal heat development. Your advantage: dosed hardness, maximum perfection.

Blue Pad 90 x 25 mm | Art. No. 0585 027 090

Blue Pad 145 x 25 mm | Art. No. 0585 027 145

Blue Pad 170 x 25 mm | Art. No. 0585 027 170



Alternative

White Lambskin 80 mm | Art. No. 0585 23 80

White Lambskin 125 mm | Art. No. 0585 235

White Lambskin 150 mm | Art. No. 0585 195

Premium Black Lambskin 135 mm | Art. No. 0585 135



New!

Benefits:

- Fast preparation in just one work step
- Polishing and sealing at the same time
- Suitable for annual cars

PERFECTION LINE

OUR RECOMMENDATION FOR LONG-LASTING PROTECTION

PAINT SEALANT PERFECT

Long-term seal with high carnauba wax content and micro-abrasives for a perfect finish.

The efficient 2-in-1 formulation allows holograms and micro-scratches to be removed sustainably and a long-term seal to be applied to the paint in just one work step.

- Deep gloss
- Long-lasting protection
- Contains micro-abrasives for permanent removal of holograms

Paint Sealant Perfect, 1 kg | Art. No. 0893 013 001



New!




Orange polishing pads series

Medium-hard polishing pads for good dirt removal combined with minimal heat build-up. Your advantage: measured hardness, maximum perfection.

Orange pad 90 x 25 mm | Art. No. 0585 026 090

Orange pad 145 x 25 mm | Art. No. 0585 026 145

Orange pad 170 x 25 mm | Art. No. 0585 026 170



PASSIONATELY POWERFUL: DISCOVER OUR NEW ECCENTRIC POLISHING MACHINE

The new eccentric polishing machine EPM 160-E is ideal for the hologram-free removal of paint damage. This completely revised machine boasts a compact design, low noise and very smooth running. Marvel at a power pack with staying power from Würth that was specially designed for professionals like you.


Eccentric Polishing Machine EPM 160-E | Art. No. 5707 500 0

To go with it:

Hook & Loop Support Plate M14, 80mm | Art. No. 0586 01 80

Hook & Loop Support Plate M14, 125mm | Art. No. 0586 01 125

Hook & Loop Support Plate M14, 150mm | Art. No. 0586 01 150



Powerful: 1,010 Watt motor
Effective: 8 mm polishing stroke for high effectiveness
Flexible: Adjustable speed of 160-480 rpm
Staying power: The tachometer keeps the speed constant even under load
Safe: Restart lock, overload protection and temperature monitoring

SOUND DEADENING



SOUND DEADENING PAD 24 PCS

Art. No. 5997603040


- 130 x 125 x 2 mm
- Heavy bitumen pads, aluminium coated, self-adhesive.
- Highly adhesive.
- Reinforced against breaking.
- Resistant to water, light acid and alkaline solutions.
- High temperature resistance - 30°C to +80°C (1 hour + 180°C).



SOUND ABSORBING LINING 2 PCS

Art. No. 0890100065

- 1000 x 500 x 11 mm
- For sound absorption, temperature insulation and visual improvement on engine and luggage compartment hoods, doors, etc.
- Polyurethane soft foam mats
- Colour: Foam: grey; top layer: Black
- With an enclosed, highly elastic polyurethane top layer on one side
- Self-adhesive
- Resistant to water, salt water, engine oil, fuels, solvents, etc.
- Impermeable to air and most liquids
- High adhesive strength
- Temperature resistant -30°C to +80°C (1 hour at +180°C)



SOUND ABSORBING PLATE 6 PCS

Art. No. 0890100060

- 550 x 250 x 2 mm
- Heavy-duty bitumen plate with polypropylene coating, self-adhesive
- High adhesive strength
- Virtually unbreakable
- Resistant to water, weak acids, alkaline solutions, etc.
- Temperature resistant -30°C to +80°C (1 hour at +180°C)



SOUND DEADENING PADS - SELF ADHESIVE 4 PCS

Art. No. 0890100070

- For repair work, sound-proofing and sound deadening of chassis and panel work on automobiles.
- 100 cm x 50 cm
- Protects the interior of the car against noises from vibration and air currents.
- Very good malleability when heated.
- Can be used on rippled and ribbed floor panels
- e.g. bootfloors.
- 1 packaging unit covers 4 panels

BODY & PAINT

ADHESIVE



POWER SPRAY GLUE PLUS 400 ml

Art. No. 0890100064

- Contact adhesive with high immediate adhesive strength and high heat resistance.
- Very high heat resistance up to 110°C & Quick-drying.

SEALING TAPE



RAPID REPAIR SEALING TAPE

Art. No. 0985077230 (Black)

Art. No. 0985077231 (Red)

Art. No. 0985077232 (Transparent)


- Highly resistant, self-fusing silicone tape for immediate repairs and sealing tasks.
- For repairing and sealing pipelines and hoses up to 8 bar (in Ø 1" pipes).
- For sealing/repairing heating pipes, cooling lines, fittings, water pipes etc.



DOUBLE SIDE MOUNTING TAPE

Art. No.		Size
NDI0000218990	1	12 mm x 4 m
NDI0000396990	1	20 mm x 4 m
NDI0000267990	1	3 mm x 10 m

For automotive use



WINDSCREEN REPLACEMENT



BLADE SCRAPER

Art. No. 071466335



Art. No. 071466331



WINDSHIELD CUT-OUT SET BASIC

Art. No. 071458229



**WINDSCREEN TROPICS
310 ml**

Art. No. 089002611



**PRIMER
15 ml**

Art. No. 089002810



PRIMER BRUSH

Art. No. 0891650



WINDSCREEN REMOVAL SET

Art. No. 071458 25



INSERTION TOOL

Art. No. 071458 27



**SPECIAL STEEL CUTTING WIRE
50 m**

Art. No. 071458281



**ROUND CUTTING WIRE
22.5 m**

Art. No. 07145828



**WINDSCREEN CUTTING CORD
65 m**

Art. No. 071458240

- For damage-free removal of vehicle windows with particularly narrow gaps
- Min. tensile force: 1850 N
- Can be used 2-4 times
- If the thread tears, it can be knotted to continue working

EQUIPMENTS



HIGH PRESSURE JET CLEANER HP 190

Art. No. 5997623021090 1

- High pressure powerful cleaning system for automotive, construction, industries etc.
- Heavy duty pump powered by 3 phase.
- Large wheel size for easy mobility.
- Operating pressure of 30 to 190 bar.



HIGH PRESSURE JET CLEANER HP 215

Art. No. 5997623022090 1

- High pressure powerful cleaning system for automotive, construction, industries etc.
- Heavy duty pump powered by 3 phase.
- Large wheel size for easy mobility.
- Operating pressure of 30 to 215 bar.



VACUUM CLEANER - 78 L, WET & DRY

Art. No. 0702400803

- Heavy duty vacuum cleaner system for wet and dry application
- Ideal for any type of floors or carpeted surface to remove dry dusts and wet spills
- Heavy Duty 1300 x 2 (2600) Watt motor for toughest application
- Hotels, Hospitals, Catering service providers, Marriage Halls, Warehouses



VACUUM CLEANER - 32 L

Art. No. 5997623023090 1

- Heavy duty vacuum cleaner system for wet and dry application
- Ideal for any type of floors or carpeted surface to remove dry dusts and wet spills
- Sturdy high grade stainless steel body
- Single motor
- Hotels, Hospitals, Malls, Supermarkets

EQUIPMENTS



DUST EXTRACTION SYSTEM

Art. No. 0988995246990 1

For dust extraction with sanding systems in automotive bodyshop, metal work, wood industries etc.

- Power connection directly on dust extraction machine for power tools.
- Automatic on/off of dust extractor.
- Three equipments (Two Pneumatic and One Power Tool) can be used simultaneously.
- Automatic filter cleaning system.

* Accessories/material supplied along with machines.

Art. No.	Product Description	Qty.
06992014 005 5	NPL-PN-BRS-IT-G1/4IN	1
06992114 005 5	NPL-PN-BRS-ET-G1/4IN	1
0702400800961 1	AY-FLEXHOSE-VC-D32/40MM-L3,5M	2
0702400801961 1	DUST EXTRACTION -TWIN MOTOR-78 LTR2400W	1
0703999010961 1	RANORBSNDR-PN-DISC-UNC-CENTVAC-D150MM	2
0703999010961 1	DUST COLLECTION BAGS	1



MINI DUST EXTRACTION SYSTEM

Art. No. 0988995245990 1

Easy to use Mini- Dust Extraction Machine for sanding systems in automotive body shop, metal work, construction and wood industries etc.



SPRAY SUCTION DEVICE SEG 10-2

Art. No. 07011110

- Powerful spray extraction device for cleaning upholstery and for removing stains from carpeted surfaces.
- Ideal for cleaning upholstery and car interiors.
- Continuous checking procedure and back suction performance.

EQUIPMENTS



TOOL CASE STANDARD

Art. No. 071593 20

- Type: 5 pcs.
- Simple, solid design.
- Length x width x height: 430 x 200 x 200 mm
- Hammer-tone finish inside and out.
- Collapsible, with robust rivet hinges.



AIR COMPRESSOR

Art. No.	Motor Capacity
5997628355	3 HP
5997628356	5 HP
5997628357	7.5 HP
5997628358	10 HP
5997634070	15 HP

- Wurth Air Compressor range covers all categories from 3 HP to 15 HP.
- Two stage reciprocating air compressor
- Air cool
- Low noise
- Low power consumption
- Automatic Start/Stop



NITROGEN TYRE INFLATOR 220 V

Art. No. 071554101

- Enhanced safety.
- Reduction in fuel consumption.
- Better tyre pressure retention.
- Extended tyre life.
- Slow chemical aging & oxidation elimination.
- Low tyre failure & better grip on the road & reliability.



5 Drawer



7 Drawer

WORKSHOP TROLLEY, M-SERIES 5 DRAWER & 7 DRAWER

Art. No. 0962699215 (5 DRAWER)

Art. No. 0962699207 (7 DRAWER)

- 930 x 710 x 410 mm (H x W x D).
- Solid sheet steel design.
- ABS top tray with recesses for small parts.
- Two steering wheels, 100 mm dia., one wheel with locking.
- Load capacity: 300 kg (both).



WORKSHOP TROLLEY BASIC 5 DRAWER

Art. No. 5584699005

- (W x D x H) 678 x 459 x 724 mm
- Robust-all steel construction
- Total load: 250 kg
- New design aluminum drawer pulls
- Multi-folded steel sheet
- Static loading capacity 25 kg per drawer
- Central locking



TWO POST LIFT

Art. No. 5997656441090 1

- High-performance durable cylinders in each post provides powerful and safety lifting performance
- High quality Pre-Stretched synchronisation wire rope
- Top limit switch touch bar and door protection rubber blocks protect the vehicle body
- Lifting Capacity: 4.0 Ton
- Max. Lifting Height (mm): 1800
- Motor Power: 2.2 KW 3 HP, 3 PH, 2850 rpm

SAFETY PRODUCTS



SAFETY GOGGLE, POLYCARBONATE

Art. No. 0899102230

- Unrestricted peripheral perception through panoramic lens with 180° field of view.
- Polycarbonate lens with matt roof section to suppress reflections.
- 100% UV protection (up to 400 nm).



SAFETY GOGGLE, CEPHEUS

Art. No. 0899102250

- Lightweight safety goggles with duospherical lens.
- Sporty flexible arms for pressure-free fit.
- Unrestricted side perception.
- Highly impact-resistant polycarbonate lens.
- 100% UV protection (up to 400 nm).



SAFETY GOGGLE, FULL-VISION

Art. No. 0899102110

- All-round ventilation system.
- Frosted frame suppresses light reflections.
- Suitable for combining with half face masks.
- Acetate lens resistant to chemicals.
- Anti-fogging coating.
- Easy-change lens and 100% UV protection.
- Adjustable head strap.



SAFETY HELMET

Art. No. 0899200230 - With Strap

Art. No. 0899200231 - With Ratchet

- Durable HDPE shell.
- 6 point pin lock suspension for secure fitting.
- Colours: Yellow & White.

Application area:

- Construction, Metal Industry, Automotive, Cargo, Hospitality, Facility services.



AUTOMATIC WELDING HELMET SOLAR II 9-13

Art. No. 0984700400

- Ideal for all applications using a variety of welding processes
- 2 modes of protection available, automatic and manual adjustment
- Protects against weld spatter and heat and protects during overhead welding
- Min./max. dark-to-light switching time: 0.25-0.25 ms



FACE PROTECTION SCREEN

Art. No. 0899101202

- Perfect protection for grinding and cutting work, as well as against dripping or splashing liquids.
- Large, resistant polycarbonate visor with wide field of view.
- Multiple visor inclination adjustment settings.
- Soft padding on all parts with head contact.



SAFETY EYE WEAR

Art. No. 0899103120/121/122

- First class Polycarbonate lens.
- Sporty & dynamic design.
- Nylon frame with optional color lenses.
- Excellent anti-scratch & impact resistance.
- UV Protection upto 99%.
- For construction, grinding, milling, etc.



EAR PLUG, CORDED X100

Art. No. 0899300332

- Ergonomic, cone-shaped disposable ear plugs for use in extremely noisy environments.
- Very good insulation.
- Excellent speech audibility.
- Very comfortable to wear.

SAFETY PRODUCTS



PROTECTIVE GLOVE, COTTON KNITTED 40 g - Grey

Art. No. 089940407

- 7 gauge grey poly/cotton recycled yarn knitted gloves.
- 100% white polyester over locking.
- Good wearing comfort & fit.

Applications:

Basic working glove for light warehouse work, transportation, glass/ceramic industry (Handling large panes or dry metal).



PROTECTIVE GLOVE, MECHANIC

Art. No. 0899400529

- Universal glove with good functional resistance and excellent dry and wet grip via special surface texturing.
- Outstanding flexibility for fine installation work.
- Skin-friendly, seamless knitted nylon lining.
- High-quality natural latex coating with open backs of hands for good breath ability.



DISPOSABLE VINYL GLOVE 100 pcs box

Art. No. 08994602

- Powder-free, Liquid-sealed disposable vinyl glove.
- Practical disposable dispenser.
- Can be worn on both sides.
- Tested as food-safe.
- Material thickness: 0.12 mm \pm 0.03 mm.



DISPOSABLE NITRILE GLOVE 100 pcs box

Art. No. 089947001

- Liquid-proof, food-safe disposable glove.

Applications:

- Laboratory work.
- Food processing industry.
- Catering.
- Pharmaceutical and chemical industry, electrical engineering.
- Decorating, spray-painting and polishing.
- Cleaning and maintenance work.
- Workshop jobs.



HOUSEHOLD LATEX GLOVE

Art. No. 089941502

SKIN



HAND CLEANER BUCKET 4000 ml

Art. No. 08939000

- Hand cleaner for medium to heavy soiling with a balanced blend of natural and PU abrasives.
- Gentle on the skin.
- Cleans and protects.
- Prevents drains from becoming clogged.
- pH-neutral and soap-free.
- Deep cleans hands and removes dirt such as oil, grease, graphite, metallic dust and soot.



DISPENSER SYSTEM SET

Art. No. 0891901

SAFETY PRODUCTS



BREATHING MASK, FFP 1

Art. No. 0899110400

- Excellent fit on the face.
- Secure seal in the nose area.
- Comfortable to wear.
- Excellent filter performance.
- Tear-resistant head straps.
- Without exhalation valve.
- CE 0, 194.



BREATHING MASK WITH VALVE

Art. No. 0899110501

- Complete protection and comfortable to wear.
- Exhalation valve ensures the user feels comfortable wearing the mask.
- Minimal breathing resistance.
- Perfect, sealed fit.
- Preformed design.
- Nose clip for optimised fitting.
- Half sealing lip in the nose area.
- Looped-through cotton head strap.



DISPOSABLE DUST MASK

Art. No. 0899110499

- Protects from respirable suspended particulate matter
- Composite of multiple layers- pre-filter, fine filter and skin comfort layer
- Protection: Solid Dust / Mist
- M.U.L: Upto 4 x OEL



PAINTER'S SET - 3 pcs

Art. No. 0899175020

- 1 x half mask facepiece HM 175.
- 2 x Combination filter A2P3 RD
- Ready-for-use breathing protection set for painting and decorating work.



HALF FACE MASK HM 175

Art. No. 0899175000

- Custom-fit breathing protection for maximum comfort
- Easy use of various filters
- Chemical and paint processing industry, waste disposal and decontamination companies, wood processing as well as floor installers, plastics processing industry, automotive and other workshops (with the appropriate filters in each case).



COMBINATION FILTER A2P3 RD

Art. No. 0899175011

- For breathing protection series 175
- MOQ: 2 Nos.

SAFETY PRODUCTS



WELDER'S APRON

Art. No. 0984312

- With chest flap.
- Universally adjustable leather straps.
- Smooth surface.



WELDER'S LEGGING

Art. No. 0984317

- Made from split leather.
- With sole and stirrup.
- With two buckled belts.
- Shaft height approx. 40 cm.



REUSABLE PAINTING SUIT

Art. No. 0899025011

- With hood and drawstring.
- Silicone-free & 100% polyester.
- Anti-static and lint-free.
- Elasticated sleeves, ankles and waist.
- Two-way covered zip.
- Washable up to 40°C or dry cleaning.



SAFETY SHOE S1, Single Density

Art. No. 5357943/38-46

- Single density.
- Buffalo black leather Upper NON DIN (Non-Waterproof) synthetic non-woven vamp lining.
- Full mesh black lining.
- Anti-Impact, Anti-static, Oil resistant, Shock absorbent.



OVERSHOE - 100 pcs

Art. No. 08990281

- Overshoes for hygiene and dirt protection in chemical industry, pharmaceuticals, cosmetic manufacturing, food processing.
- Material thickness: 20 µ.
- Material: Polyethylene.
- Universal size: Length 40 cm.




SAFETY SHOE S1, Double Density

Art. No. 5357121/38-45

- Double density.
- Buffalo black leather Upper NON DIN (Non-Waterproof) synthetic non-woven vamp lining.
- Anti-Impact, Anti-static, Oil resistant, Shock absorbent.

ORSY



Total purchase – 80%
Part numbers – 20%
Need attention!!!

Total purchase – 20%
Part numbers – 80%
Too much work!!!

The parts classification pyramid reflects the necessity for an effective system to manage the “little things”.

C-Parts incurs high process and procurement costs, due to the unmanageable product range variety in huge quantities. ORSY (ORdering SYstem) is Wuerth’s creative solution to support C-Part and maintenance product management system. It suits all types of products for OEM/MRO and enables easy identification of products due to the

modular system. It is an efficient and perfectly organized system which enables quick access to items that are frequently required, and helps to keep track of stock flow and usage. The time thus saved is a premium, which in tandem enables cost saving as well, in acquisition of new goods. The ORSY process cycle involves an audit of the customer site and implementation of the system by dedicated support personnel.

Advantages of C-Part Management

- Reduction of inventory
- High availability
- Consistent high quality
- Product standardization
- Engineering services
- No stock taking or in-house transportation
- Better utilization of manufacturing space
- Limited obsolescence
- Reduction of suppliers
- **Total cost reduction**

ORSY – Full Service Evolution



Planning



Assembly, labelling & repacking



Servicing, maintenance & repair



Disposition & updating

REFILLO®

Refilling Made Easy System solutions for active chemical substances

- Safe
- Economical
- Environmentally Friendly



Self-filling can
Art. No. 0891800...



ORSY Station
Art. No. 0961 891 001

Compressed-Air Filling Station
Art. No. 0891800001



The REFILLO® System

The safe and economical system for **manual** refilling of spray cans with active substances and compressed-air.



ACTIVE SUBSTANCES FOR THIS SYSTEM

- | | |
|------------------------|---|
| • Brake Cleaner | • Interior Cleaner |
| • Rost Off | • Cut + Cool - Cutting and Drilling Oil |
| • Silicone Spray | • Leak Detector |
| • Active Glass Cleaner | • Wood-Slide |
| • BMF-Cleaner | |

How to operate REFILLO®



1. Open the bottle cap.



2. Fill with substance.



3. Place the bottle on compressed-air filling station.





AUTOMOTIVE CATALOGUE

FEBRUARY 2021

Wuerth India Pvt. Ltd.

Central Support Centre:

Mumbai: No 703/704, WINDFALL, Sahar Plaza Complex,
Andheri - Kurla Road, J B Nagar, Andheri (East), Mumbai - 400059

Regional Support Centre:

Chennai: No. 156, Doshi Towers, 6A & 6B,
Poonamallee High Road, Kilpauk, Chennai - 600010

Regional Support Centre:

Delhi: No. 349, Patparganj Industrial Estate
Delhi - 110092

Regional Support Centre:

Kolkata: Plot No. 1812, PS Srijan Corporate Park,
GP Block, Sector V, Bidhannagar, Kolkata, West Bengal - 700091

www.wuerth.in

info.wuerth@wuerth.in

Toll Free: 1800 102 5061

Follow us on   



Wuerth India eSHOP

Register Now

@ www.wuerth.in



WUERTH APP

 **PASSION FOR
WORK**

